




Power Transmission Systems

MACHINE EQUIPMENT
CATALOGUE

Lobed Knob - Threaded Insert

Black Bakelite.




NO	ØR	D	h	H	CODE	QTY
1	30	M:5	10	24	K15B	100
1	30	M:6	12	24	K16B	100
1	30	M:8	12	24	K18B	100
2	40	M:6	17	30	K26B	100
2	40	M:8	17	30	K28B	100
2	40	M:10	17	30	K210B	100
3	50	M:6	17	32	K36B	100
3	50	M:8	17	32	K38B	100
3	50	M:10	17	32	K310B	100
3	50	M:12	17	32	K312B	100
4	60	M:8	17	36	K48B	50
4	60	M:10	17	36	K410B	50
4	60	M:12	17	36	K412B	50
5	70	M:10	22	44	K510B	50
5	70	M:12	22	44	K512B	50
5	70	M:14	22	44	K514B	50
5	70	M:16	22	44	K516B	50

Special plated hexagonal iron insert.

Lobed Knob - Threaded Stud

Black Bakelite.



NO	ØR	D	h	H	CODE	QTY
1	30	M:5	15	24	K15*15C	100
1	30	M:6	15	24	K16*15C	100
1	30	M:8	15	24	K18*15C	100
2	40	M:6	20	30	K26*20C	100
2	40	M:8	20	30	K28*20C	100
2	40	M:10	20	30	K210*20C	100
3	50	M:6	25	32	K36*25C	100
3	50	M:8	25	32	K38*25C	100
3	50	M:10	25	32	K310*25C	100
3	50	M:12	25	32	K312*25C	100
4	60	M:8	30	36	K48*30C	50
4	60	M:10	30	36	K410*30C	50
4	60	M:12	30	36	K412*30C	50
5	70	M:10	35	44	K510*35C	50
5	70	M:12	35	44	K512*35C	50
5	70	M:14	35	44	K514*35C	50
5	70	M:16	35	44	K516*35C	50

Special plated stud.

Also available in stainless steel.

Custom stud lengths also available.

Star Knob - Threaded Insert

Black Bakelite.

NO	ØR	D	h	H	CODE	QTY
0	20	M:4	10	17	Y04B	100
0	20	M:5	10	17	Y05B	100
0	20	M:6	12	17	Y06B	100
1	30	M:5	10	24	Y15B	100
1	30	M:6	12	24	Y16B	100
1	30	M:8	12	24	Y18B	100
2	40	M:6	17	30	Y26B	100
2	40	M:8	17	30	Y28B	100
2	40	M:10	17	30	Y210B	100
3	50	M:6	17	32	Y36B	50
3	50	M:8	17	32	Y38B	50
3	50	M:10	17	32	Y310B	50
3	50	M:12	17	32	Y312B	50
4	60	M:8	17	36	Y48B	50
4	60	M:10	17	36	Y410B	50
4	60	M:12	17	36	Y412B	50
5	70	M:10	22	44	Y510B	50
5	70	M:12	22	44	Y512B	50
5	70	M:14	22	44	Y514B	50
5	70	M:16	22	44	Y516B	50

Special plated hexagonal iron insert.



Star Knob - Threaded Stud


Black Bakelite.

NO	ØR	D	h	H	CODE	QTY
0	20	M:4	10	24	Y04*10C	100
0	20	M:5	10	24	Y05*10C	100
0	20	M:6	10	24	Y06*10C	100
1	30	M:5	15	24	Y15*15C	100
1	30	M:6	15	24	Y16*15C	100
1	30	M:8	15	24	Y18*15C	100
2	40	M:6	20	30	Y26*20C	100
2	40	M:8	20	30	Y28*20C	100
2	40	M:10	20	30	Y210*20C	100
3	50	M:6	25	32	Y36*25C	50
3	50	M:8	25	32	Y38*25C	50
3	50	M:10	25	32	Y310*25C	50
3	50	M:12	25	32	Y312*25C	50
4	60	M:8	30	36	Y48*30C	50
4	60	M:10	30	36	Y410*30C	50
4	60	M:12	30	36	Y412*30C	50
5	70	M:10	35	44	Y510*35C	50
5	70	M:12	35	44	Y512*35C	50
5	70	M:14	35	44	Y514*35C	50
5	70	M:16	35	44	Y516*35C	50


Special plated stud.

Custom stud lengths also available.

Also available in stainless steel.



Lobed Knob - Special Stud




TYPE	NO	ØR	D	e
LOBED	1	30	5+6+8	*20
LOBED	1	30	5+6+8	*25
LOBED	1	30	5+6+8	*30
LOBED	1	30	6+8	*35
LOBED	1	30	5+6+8	*40
LOBED	1	30	8	*45
LOBED	1	30	5+6+8	*50
LOBED	1	30	5+6+8	*60
LOBED	2	40	6+8+10	*25
LOBED	2	40	6+8+10	*30
LOBED	2	40	6+8+10	*35
LOBED	2	40	6+8+10	*40
LOBED	2	40	8+10	*45
LOBED	2	40	6+8+10	*50
LOBED	2	40	6+8+10	*60
LOBED	2	40	6+8+10	*70
LOBED	2	40	6+8+10	*80
LOBED	2	40	6+8+10	*90
LOBED	3	50	6+8+10	*30
LOBED	3	50	6+8+10	*35
LOBED	3	50	6+8+10	*40
LOBED	3	50	8+10	*45
LOBED	3	50	6+8+10	*50
LOBED	3	50	6+8+10	*60
LOBED	3	50	6+8+10	*70
LOBED	3	50	6+8+10	*80
LOBED	3	50	6+8+10	*90
LOBED	4	60	8+10+12	*35
LOBED	4	60	8+10+12	*40
LOBED	4	60	8+10+12	*45
LOBED	4	60	8+10+12	*50
LOBED	4	60	8+10+12	*60
LOBED	4	60	8+10+12	*70
LOBED	4	60	8+10+12	*80
LOBED	4	60	8+10+12	*90
LOBED	5	70	10+12	*40
LOBED	5	70	10+12	*45
LOBED	5	70	10+12	*50
LOBED	5	70	10+12	*60
LOBED	5	70	10+12	*70
LOBED	5	70	10+12	*80
LOBED	5	70	10+12	*90

Special plated hexagonal iron insert.

Star Knob - Special Stud

TYPE	NO	ØR	D	e
STAR	0	20	4	*15
STAR	0	20	5	*15
STAR	0	20	6	*15
STAR	0	20	4	*20
STAR	0	20	5	*20
STAR	0	20	6	*20
STAR	0	20	5	*25
STAR	0	20	6	*25
STAR	0	20	4	*30
STAR	0	20	6	*30
STAR	0	20	6	*30
STAR	1	30	6	*20
STAR	1	30	8	*20
STAR	1	30	6	*30
STAR	1	30	8	*30
STAR	1	30	6	*40
STAR	1	30	8	*40
STAR	1	30	6	*50
STAR	1	30	8	*50
STAR	2	40	8	*25
STAR	2	40	10	*25
STAR	2	40	6	*30
STAR	2	40	8	*30
STAR	2	40	10	*30
STAR	2	40	6	*40
STAR	2	40	8	*40
STAR	2	40	10	*40
STAR	2	40	6	*50
STAR	2	40	8	*50
STAR	2	40	10	*50
STAR	3	50	8	*30
STAR	3	50	10	*30
STAR	3	50	8	*40
STAR	3	50	10	*40
STAR	3	50	8	*50
STAR	3	50	10	*50
STAR	4	60	12	*35
STAR	4	60	8	*40
STAR	4	60	10	*40
STAR	4	60	12	*40
STAR	4	60	8	*50
STAR	4	60	10	*50
STAR	4	60	12	*50
STAR	4	60	12	*60
STAR	5	70	10+12	*40
STAR	5	70	10+12	*45
STAR	5	70	10+12	*50
STAR	5	70	10+12	*60
STAR	5	70	10+12	*70
STAR	5	70	10+12	*80
STAR	5	70	10+12	*90




Special plated hexagonal iron insert.

Ball Knob

Black Bakelite.

NO	ØR	D	h	H	CODE	QTY
1	25	M:5	15	24	T255	100
1	25	M:6	15	24	T256	100
1	25	M:8	17	24	T258	100
2	30	M:6	15	29	T306	100
2	30	M:8	17	29	T308	100
2	30	M:10	17	29	T3010	100
3	35	M:6	17	34	T356	100
3	35	M:8	17	34	T358	100
3	35	M:10	17	34	T3510	100
4	40	M:8	17	39	T408	50
4	40	M:10	17	39	T4010	50
4	40	M:12	17	39	T4012	50
5	46	M:8	17	44	T468	50
5	46	M:10	17	44	T4610	50
5	46	M:12	17	44	T4612	50
6	50	M:8	17	49	T508	50
6	50	M:10	22	49	T5010	50
6	50	M:12	22	49	T5012	50
6	50	M:14	22	49	T5014	50
6	50	M:16	22	49	T5016	50

Special plated hexagonal iron insert.






Cylindrical Grip - Threaded Insert

Black Bakelite.

NO	ØR	D	h	H	CODE	QTY
1	20	M:6	12	44	AS16B	100
1	20	M:8	12	44	AS18B	100
2	30	M:8	22	62	AS28B	100
2	30	M:10	22	62	AS210B	100
3	40	M:10	27	84	AS310B	50
3	40	M:12	27	84	AS312B	50


Special plated hexagonal iron insert.



Cylindrical Grip - Threaded Stud

Black Bakelite.

NO	ØR	D	h	H	CODE	QTY
1	20	M:6	15	44	AS16*15C	100
1	20	M:8	15	44	AS18*15C	100
2	30	M:8	25	62	AS28*25C	100
2	30	M:10	25	62	AS210*25C	100
3	40	M:10	30	84	AS310*30C	50
3	40	M:12	30	84	AS312*30C	50






Pear Knob - Threaded Insert

Black Bakelite.

NO	ØR	D	h	H	CODE	QTY
1	30	M.6	17	38	A16B	100
1	30	M.8	17	38	A18B	100
1	30	M.10	17	38	A110B	100
2	30	M.8	17	54	A28B	100
2	30	M.10	17	54	A210B	100
3	30	M.8	27	76	A38B	50
3	30	M.10	27	76	A310B	50
3	30	M.12	27	76	A312B	50

Special plated hexagonal iron insert.



Pear Knob - Threaded Stud


Black Bakelite.

NO	ØR	D	h	H	CODE	QTY
1	30	M.6	15	38	A16*15C	100
1	30	M.8	15	38	A18*15C	100
1	30	M.10	15	38	A110*15C	100
2	30	M.8	20	54	A28*20C	100
2	30	M.10	20	54	A210*20C	100
3	30	M.8	25	76	A38*25C	50
3	30	M.10	25	76	A310*25C	50
3	30	M.12	25	76	A312*25C	50

Special plated stud.

Custom stud lengths also available.

Also available in stainless steel.






Tapered Grip - Threaded Insert

Black Bakelite.

NO	ØR	D	h	H	CODE	QTY
1	17	M.6	17	40	AD16B	50
1	17	M.8	17	40	AD18B	50
2	20	M.6	17	50	AD26B	50
2	20	M.8	17	50	AD28B	50
3	25	M.6	22	73	AD36B	50
3	25	M.8	22	73	AD38B	50
3	25	M.10	22	73	AD310B	50
4	27	M.8	27	89	AD48B	50
4	27	M.10	27	89	AD410B	50
4	27	M.12	27	89	AD412B	50
5	31	M.8	27	115	AD58B	25
5	31	M.10	27	115	AD510B	25
5	31	M.12	27	115	AD512B	25
5	31	M.14	22	115	AD514B	25
5	31	M.16	22	115	AD516B	25



Special plated hexagonal iron insert.



Tapered Grip - Threaded Stud

Black Bakelite.


NO	ØR	D	h	H	CODE	QTY
1	17	M.6	15	40	AD16*15C	50
1	17	M.8	15	40	AD18*15C	50
2	20	M.6	20	50	AD26*20C	50
2	20	M.8	20	50	AD28*20C	50
3	25	M.6	20	73	AD36*20C	50
3	25	M.8	20	73	AD38*20C	50
3	25	M.10	20	73	AD310*20C	50
4	27	M.8	25	89	AD48*25C	50
4	27	M.10	25	89	AD410*25C	50
4	27	M.12	25	89	AD412*25C	50
5	31	M.10	25	115	AD510*25C	25
5	31	M.12	25	115	AD512*25C	25





Capped Tapered Grip - Threaded Insert

Black Bakelite.



NO	ØR	D	h	H	CODE	QTY
2	20	M.6	17	50	ADT 2 6 B	50
2	20	M.8	17	50	ADT 2 8 B	50
3	25	M.6	22	73	ADT 3 6 B	50
3	25	M.8	22	73	ADT 3 8 B	50
3	25	M.10	22	73	ADT 3 10 B	50
4	27	M.8	27	89	ADT 4 8 B	50
4	27	M.10	27	89	ADT 4 10 B	50
4	27	M.12	27	89	ADT 4 12 B	50

Special plated hexagonal iron insert.



Capped Tapered Grip - Threaded Stud

Black Bakelite.

NO	ØR	D	h	H	CODE	QTY
2	20	M.6	20	50	ADT 2 6*20 C	50
2	20	M.8	20	50	ADT 2 8*20 C	50
3	25	M.6	20	73	ADT 3 6*20 C	50
3	25	M.8	20	73	ADT 3 8*20 C	50
3	25	M.10	20	73	ADT 3 10*20 C	50
4	27	M.8	25	89	ADT 4 8*25 C	50
4	27	M.10	25	89	ADT 4 10*25 C	50
4	27	M.12	25	89	ADT 4 12*25 C	50

Special plated stud.

Custom stud lengths also available.

Also available in stainless steel.




Bulbous Grip - Threaded Insert

Black Bakelite.

NO	D1	D2	ØR	h	H	CODE	QTY
1	M:6	14	20	17	60	BS 1 6 B	50
1	M:8	14	20	17	60	BS 1 8 B	50
2	M:8	14	25	22	80	BS 2 8 B	50
2	M:10	14	25	22	80	BS 2 10 B	50
3	M:8	18	30	27	100	BS 3 8 B	50
3	M:10	18	30	27	100	BS 3 10 B	50
3	M:12	18	30	27	100	BS 3 12 B	50

Special plated hexagonal iron insert.




Bulbous Grip - Threaded Stud

Black Bakelite.

NO	D1	D2	ØR	e	H	CODE	QTY
1	M:6	14	20	15	60	BS 1 6*15	50
1	M:8	14	20	15	60	BS 1 8*15	50
2	M:8	14	25	20	80	BS 2 8*20	50
2	M:10	14	25	20	80	BS 2 10*20	50
3	M:8	18	30	25	100	BS 3 8*25	50
3	M:10	18	30	25	100	BS 3 10*25	50
3	M:12	18	30	25	100	BS 3 12*25	50

Special plated hexagonal iron insert.





Hollow Tapered Grip

Black Bakelite.


NO	ØR	D	h	CODE	QTY
1	6	20	50	ADSIB 2 6	50
2	8	25	73	ADSIB 3 8	50
3	10	27	89	ADSIB 4 10	50



Hollow Plastic Grip

Glass-fibre-reinforced plastic.

NO	D1	ØR	D2	H	CODE	QTY
1	6	22	20	50	PSIB 16	50
2	8	24	21	70	PSIB 28	50
3	10	26	23	90	PSIB 310	50



Hollow Bulbous Grip

Glass-fibre-reinforced plastic.

NO	D1	ØR	D2	H	CODE	QTY
1	6	22	20	50	BSIB 16	50
2	8	24	21	70	BSIB 28	50
3	10	26	23	90	BSIB 310	50



Metal Bulbous Revolving Handle - Black

NO	R	H	D	e	A/F	CODE	QTY
1	20	60	M.6	15	13	MBDKSBS16	25
1	20	60	M.8	15	13	MBDKSBS18	25
2	26	80	M.8	15	14	MBDKSBS28	25
2	26	80	M.10	15	14	MBDKSBS210	25
3	30	100	M.10	15	14	MBDKSBS310	25
3	30	100	M.12	15	14	MBDKSBS312	25



Metal Bulbous Revolving Handle - Orange


NO	R	H	D	e	A/F	CODE	QTY
1	20	60	M.6	15	13	MBDKSBT16	25
1	20	60	M.8	15	13	MBDKSBT18	25
2	26	80	M.8	15	14	MBDKSBT28	25
2	26	80	M.10	15	14	MBDKSBT210	25
3	30	100	M.10	15	14	MBDKSBT310	25
3	30	100	M.12	15	14	MBDKSBT312	25

Metal Bulbous Revolving Handle - Orange

NO	R	H	D	e	A/F	CODE	QTY
1	20	60	M.6	15	13	MBDKSBG16	25
1	20	60	M.8	15	13	MBDKSBG18	25
2	26	80	M.8	15	14	MBDKSBG28	25
2	26	80	M.10	15	14	MBDKSBG210	25
3	30	100	M.10	15	14	MBDKSBG310	25
3	30	100	M.12	15	14	MBDKSBG312	25

Metal Bulbous Revolving Handle - Chrome

NO	R	H	D	e	A/F	CODE	QTY
1	20	60	M.6	15	13	MBDKK16	25
1	20	60	M.8	15	13	MBDKK18	25
2	26	80	M.8	15	14	MBDKK28	25
2	26	80	M.10	15	14	MBDKK210	25
3	30	100	M.10	15	14	MBDKK310	25
3	30	100	M.12	15	14	MBDKK312	25



Metal Tapered Revolving Handle - Black

NO	R	H	D	e	A/F	CODE	QTY
1	20	50	M.6	15	13	MADKSBS16	25
1	20	50	M.8	15	13	MADKSBS18	25
2	25	70	M.8	20	14	MADKSBS28	25
2	25	70	M.10	20	14	MADKSBS210	25
3	28	90	M.10	20	14	MADKSBS310	25
3	28	90	M.12	20	14	MADKSBS312	25

Metal Tapered Revolving Handle - Orange

NO	R	H	D	e	A/F	CODE	QTY
1	20	50	M.6	15	13	MADKSBT16	25
1	20	50	M.8	15	13	MADKSBT18	25
2	25	70	M.8	20	14	MADKSBT28	25
2	25	70	M.10	20	14	MADKSBT210	25
3	28	90	M.10	20	14	MADKSBT310	25
3	28	90	M.12	20	14	MADKSBT312	25

Metal Tapered Revolving Handle - Grey

NO	R	H	D	e	A/F	CODE	QTY
1	20	50	M.6	15	13	MADKSBG16	25
1	20	50	M.8	15	13	MADKSBG18	25
2	25	70	M.8	20	14	MADKSBG28	25
2	25	70	M.10	20	14	MADKSBG210	25
3	28	90	M.10	20	14	MADKSBG310	25
3	28	90	M.12	20	14	MADKSBG312	25

Metal Tapered Revolving Handle - Chrome


NO	R	H	D	e	A/F	CODE	QTY
1	20	50	M.6	15	13	MADKK16	25
1	20	50	M.8	15	13	MADKK18	25
2	25	70	M.8	20	14	MADKK28	25
2	25	70	M.10	20	14	MADKK210	25
3	28	90	M.10	20	14	MADKK310	25
3	28	90	M.12	20	14	MADKK312	25



Tapered Revolving Handle

Black Bakelite.


NO	R	D	e	H	CODE	QTY
1	17	M.6	13	40	ADK 1 6	25
1	17	M.8	13	40	ADK 1 8	25
2	20	M.6	13	50	ADK 2 6	25
2	20	M.8	13	50	ADK 2 8	25
3	25	M.8	13	73	ADK 3 8	25
3	25	M.10	13	73	ADK 3 10	25
4	27	M.8	15	89	ADK 4 8	25
4	27	M.10	15	89	ADK 4 10	25
4	27	M.12	15	89	ADK 4 12	25
5	31	M.10	15	115	ADK 5 10	25
5	31	M.12	15	115	ADK 5 12	25



Plastic Tapered Revolving Handle

Glass-fibre-reinforced plastic.


NO	R	H	D	e	CODE	QTY
1	22	50	M.6	13	PDK 1 6	25
1	22	50	M.8	13	PDK 1 8	25
2	24	70	M.6	17	PDK 2 6	25
2	24	70	M.8	17	PDK 2 8	25
2	24	70	M.10	17	PDK 2 10	25
3	26	90	M.8	20	PDK 3 8	25
3	26	90	M.10	20	PDK 3 10	25
3	26	90	M.12	20	PDK 3 12	25



Plastic Bulbous Revolving Handle

Glass-fibre-reinforced plastic.

NO	R	H	D	e	CODE	QTY
1	22	60	M.6	13	PBDK 1 6	25
1	22	60	M.8	13	PBDK 1 8	25
2	24	80	M.6	17	PBDK 2 6	25
2	24	80	M.8	17	PBDK 2 8	25
2	24	80	M.10	17	PBDK 2 10	25
3	26	100	M.8	20	PBDK 3 8	25
3	26	100	M.10	20	PBDK 3 10	25
3	26	100	M.12	20	PBDK 3 12	25






Plastic Bulbous Folding Handle

Glass-fibre-reinforced plastic.


NO	H	D	e	CODE	QTY
1	60	M.6	20	PBKK 1 6	25
2	80	M.8	20	PBKK 2 8	25
3	100	M.10	20	PBKK 3 10	25



Tapered Folding Handle

Glass-fibre-reinforced plastic.

NO	H	D	e	CODE	QTY
1	50	M.6	20	AKK 2 6	25
2	73	M.8	20	AKK 3 8	25
3	89	M.10	20	AKK 4 10	25



Plastic Folding Handle


Glass-fibre-reinforced plastic.

NO	H	D	e	CODE	QTY
1	50	M.6	20	KKP 1 6	25
2	70	M.8	20	KKP 2 8	25
3	90	M.10	20	KKP 3 10	25



Metal Tapered Folding Handle - Black

NO	R	H	D	e	CODE	QTY
1	20	50	M.6	20	MAKKSBS16	25
1	20	50	M.8	20	MAKKSBS18	25
2	25	70	M.8	20	MAKKSBS28	25
2	25	70	M.10	20	MAKKSBS210	25
3	28	90	M.10	20	MAKKSBS310	25
3	28	90	M.12	20	MAKKSBS312	25



Metal Tapered Folding Handle

NO	R	H	D	e	CODE	QTY
1	20	50	M.6	20	MAKKSBT16	25
1	20	50	M.8	20	MAKKSBT18	25
2	25	70	M.8	20	MAKKSBT28	25
2	25	70	M.10	20	MAKKSBT210	25
3	28	90	M.10	20	MAKKSBT310	25
3	28	90	M.12	20	MAKKSBT312	25

Metal Tapered Folding Handle - Grey

NO	R	H	D	e	CODE	QTY
1	20	50	M.6	20	MAKKSBG16	25
1	20	50	M.8	20	MAKKSBG18	25
2	25	70	M.8	20	MAKKSBG28	25
2	25	70	M.10	20	MAKKSBG210	25
3	28	90	M.10	20	MAKKSBG310	25
3	28	90	M.12	20	MAKKSBG312	25

Metal Tapered Folding Handle - Chrome

NO	R	H	D	e	CODE	QTY
1	20	50	M.6	20	MAKKK16	25
1	20	50	M.8	20	MAKKK18	25
2	25	70	M.8	20	MAKKK28	25
2	25	70	M.10	20	MAKKK210	25
3	28	90	M.10	20	MAKKK310	25
3	28	90	M.12	20	MAKKK312	25



Metal Bulbous Folding Handle - Black



NO	R	H	D	e	CODE	QTY
1	20	50	M.6	20	MBKKSBS16	25
1	20	50	M.8	20	MBKKSBS18	25
2	25	70	M.8	20	MBKKSBS28	25
2	25	70	M.10	20	MBKKSBS210	25
3	28	90	M.10	20	MBKKSBS310	25
3	28	90	M.12	20	MBKKSBS312	25

Metal Bulbous Folding Handle - Orange

NO	R	H	D	e	CODE	QTY
1	20	50	M.6	20	MBKKSBT16	25
1	20	50	M.8	20	MBKKSBT18	25
2	25	70	M.8	20	MBKKSBT28	25
2	25	70	M.10	20	MBKKSBT210	25
3	28	90	M.10	20	MBKKSBT310	25
3	28	90	M.12	20	MBKKSBT312	25

Metal Bulbous Folding Handle - Grey

NO	R	H	D	e	CODE	QTY
1	20	50	M.6	20	MBKKSBG16	25
1	20	50	M.8	20	MBKKSBG18	25
2	25	70	M.8	20	MBKKSBG28	25
2	25	70	M.10	20	MBKKSBG210	25
3	28	90	M.10	20	MBKKSBG310	25
3	28	90	M.12	20	MBKKSBG312	25

Metal Bulbous Folding Handle - Chrome


NO	R	H	D	e	CODE	QTY
1	20	50	M.6	20	MBKKK16	25
1	20	50	M.8	20	MBKKK18	25
2	25	70	M.8	20	MBKKK28	25
2	25	70	M.10	20	MBKKK210	25
3	28	90	M.10	20	MBKKK310	25
3	28	90	M.12	20	MBKKK312	25



Handwheel with Folding Handle

Black Bakelite.

NO	D	d	h	H	L	CODE	QTY
1	100	12	18	41	50	KKÇ 100	10
2	125	12	18	44	63	KKÇ 125	10
3	160	16	20	54	80	KKÇ 160	10



Three-Spoke Handwheel

Glass fibre.

NO	D	d	h	H	L	CODE	QTY
1	100	32	30	47	M.6	VÜC 100	10
2	125	43	40	51	M.8	VÜC 125	10
3	150	45	40	61	M.8	VÜC 150	10
4	175	55	50	71	M.8	VÜC 175	10
5	200	43	40	51	M.10	VÜC 200	1
6	250	45	40	61	M.10	VÜC 250	1
7	300	55	50	71	M.10	VÜC 300	1

Special plated hexagonal iron insert.

Rim-Grip Handwheel


Glass fibre.



NO	ØR	D	H	h	CODE	QTY
1	65	25	45	35	VDD 65	1
2	80	30	50	40	VDD 80	1
3	100	35	55	42	VDD 100	1
4	125	40	70	50	VDD 125	1

Rim-Grip Handwheel - Threaded Stud


Glass fibre.



NO	ØR	D	e	h	CODE	QTY
1	65	M:8	30	24	VDD18*30C	25
1	65	M:10	30	24	VDD110*30C	25
1	65	M:12	30	24	VDD112*30C	25
2	80	M:8	30	35	VDD28*30C	25
2	80	M:10	30	35	VDD210*30C	25
2	80	M:12	30	35	VDD212*30C	25

Rim-Grip Handwheel - Threaded Insert

Glass fibre.



NO	ØR	D	h	H	CODE	QTY
1	65	M:8	17	24	VDD18B	25
1	65	M:10	17	24	VDD110B	25
1	65	M:12	17	24	VDD112B	25
2	80	M:8	17	35	VDD28B	25
2	80	M:10	17	35	VDD210B	25
2	80	M:12	17	35	VDD212B	25

Rim-Grip Handwheel - Square Bore

Glass fibre.




NO	ØR	SQ.	CODE	QTY
1	65	6&8	VDDKB 65	1
2	80	8&10	VDDKB 80	1
3	100	8&10	VDDKB 100	1
4	125	10&12	VDDKB 125	1



Powder-Coated Aluminium Handwheel - Black

NO	R1	R2	h	H	D	CODE	QTY
1	80	26	14	35	9	VASB 80 S	1
2	100	28	15	40	9	VASB 100 S	1
3	120	32	18	45	12	VASB 120 S	1
4	140	36	20	50	14	VASB 140 S	1
5	160	36	22	55	14	VASB 160 S	1



Powder-Coated Aluminium Handwheel - Grey


NO	R1	R2	h	H	D	CODE	QTY
1	80	26	14	35	9	VASB 80 G	1
2	100	28	15	40	9	VASB 100 G	1
3	120	32	18	45	12	VASB 120 G	1
4	140	36	20	50	14	VASB 140 G	1
5	160	36	22	55	14	VASB 160 G	1

Powder-Coated Aluminium Handwheel - Orange

NO	R1	R2	h	H	D	CODE	QTY
1	80	26	14	35	9	VASB 80 T	1
2	100	28	15	40	9	VASB 100 T	1
3	120	32	18	45	12	VASB 120 T	1
4	140	36	20	50	14	VASB 140 T	1
5	160	36	22	55	14	VASB 160 T	1

Powder-Coated Aluminium Handwheel - Chrome

NO	R1	R2	h	H	D	CODE	QTY
1	80	26	14	35	9	VASB 80 K	1
2	100	28	15	40	9	VASB 100 K	1
3	120	32	18	45	12	VASB 120 K	1
4	140	36	20	50	14	VASB 140 K	1
5	160	36	22	55	14	VASB 160 K	1



Metal Handwheel - Chrome

NO	H	D	BUSH	ØR	CODE	QTY
1	47	30	M.6	100	MVK 100	1
2	50	40	M.6	125	MVK 125	1
3	60	40	M.8	150	MVK 150	1
4	70	55	M.10	175	MVK 175	1
5	80	55	M.10	200	MVK 200	1
6	102	60	M.10	250	MVK 250	1
7	112	60	M.10	300	MVK 300	1

Metal Handwheel - Orange

NO	H	D	BUSH	ØR	CODE	QTY
1	47	30	M.6	100	MVT 100	1
2	50	40	M.6	125	MVT 125	1
3	60	40	M.8	150	MVT 150	1
4	70	55	M.10	175	MVT 175	1
5	80	55	M.10	200	MVT 200	1
6	102	60	M.10	250	MVT 250	1
7	112	60	M.10	300	MVT 300	1

Metal Handwheel - Grey

NO	H	D	BUSH	ØR	CODE	QTY
1	47	30	M.6	100	MVG 100	1
2	50	40	M.6	125	MVG 125	1
3	60	40	M.8	150	MVG 150	1
4	70	55	M.10	175	MVG 175	1
5	80	55	M.10	200	MVG 200	1
6	102	60	M.10	250	MVG 250	1
7	112	60	M.10	300	MVG 300	1

Metal Handwheel - Black

NO	H	D	BUSH	ØR	CODE	QTY
1	47	30	M.6	100	MVS 100	1
2	50	40	M.6	125	MVS 125	1
3	60	40	M.8	150	MVS 150	1
4	70	55	M.10	175	MVS 175	1
5	80	55	M.10	200	MVS 200	1
6	102	60	M.10	250	MVS 250	1
7	112	60	M.10	300	MVS 300	1



Oval Bakelite Pull Handle

Black Bakelite.


NO	A	H	d	B	CODE	QTY
1	85	43	M:8	M:8	BT 100	25
2	115	52	M:8	M:8	BT 135	25
3	180	55	M:8	M:8	BT 180	25



Bakelite Pull Handle

Black Bakelite.

NO	R	L	H	h	D1	D2	CODE	QTY
1	130	109	42	12	20	M:6	KB 1 6	25
1	130	109	42	12	20	M:8	KB 1 8	25
2	158	129	55	17	21	M:8	KB 2 8	25
2	158	129	55	17	21	M:10	KB 2 10	25



Ribbed Plastic Pull Handle


Glass-fibre-reinforced plastic.

NO	L	R	d	e	CODE	QTY
1	120	140	8	28	PTT 120	50
1	160	185	8	28	PTT 160	50
1	180	205	8	28	PTT 180	50



Plastic Pull Handle

Glass-fibre-reinforced plastic.




NO	R	L	H	h	D1	CODE	QTY
1	90	109	6,5	20	6	KP 0	50
2	136	112	36	10	6	KP 1	50
3	158	132	40	15	8	KP 2	50



Plastic Pull Handle - Orange

Glass-fibre-reinforced plastic.



NO	R	L	H	h	D1	CODE	QTY
1	90	109	6,5	20	6	KPT 0	50
2	136	112	36	10	6	KPT 1	50
3	158	132	40	15	8	KPT 2	50



Metal Pull Handle - Chrome

NO	R	L	H	D1	CODE	QTY
1	139	110	45	M:6	MKK1	1
2	157	130	45	M:8	MKK2	1



Metal Pull Handle - Orange

NO	R	L	H	D1	CODE	QTY
1	139	110	45	M:6	MKT1	1
2	157	130	45	M:8	MKT2	1




Metal Pull Handle - Grey

NO	R	L	H	D1	CODE	QTY
1	139	110	45	M:6	MKG1	1
2	157	130	45	M:8	MKG2	1



Metal Pull Handle - Black

NO	R	L	H	D1	CODE	QTY
1	139	110	45	M:6	MKS1	1
2	157	130	45	M:8	MKS2	1





Tubular Pull Handle with Plastic Mounts

Glass-fibre-reinforced plastic.

NO	d1	d2	H	ØR	L	CODE	QTY
1	6	32	56	20	200	PBK 1 200	25
1	6	32	56	20	300	PBK 1 300	25
1	6	32	56	20	400	PBK 1 400	25
1	6	32	56	20	500	PBK 1 500	25
1	6	32	56	20	600	PBK 1 600	25
2	10	36	68	25	200	PBK 2 200	25
2	10	36	68	25	300	PBK 2 300	25
2	10	36	68	25	400	PBK 2 400	25
2	10	36	68	25	500	PBK 2 500	25
2	10	36	68	25	600	PBK 2 600	25
3	10	42	80	30	200	PBK 3 200	25
3	10	42	80	30	300	PBK 3 300	25
3	10	42	80	30	400	PBK 3 400	25
3	10	42	80	30	500	PBK 3 500	25
3	10	42	80	30	600	PBK 3 600	25



Plastic Mount for Tubular Pull Handle

Glass-fibre-reinforced plastic.

NO	ØR	L	H	h	CODE	QTY
1	6	32	20	56	PBKP 1	50
2	10	36	25	68	PBKP 2	50
3	10	42	30	80	PBKP 3	50






Tubular Pull Handle - Orange

Glass-fibre-reinforced plastic.

NO	d1	d2	H	ØR	L	CODE	QTY
1	6	32	56	20	200	PBKT1200	25
1	6	32	56	20	300	PBKT1300	25
1	6	32	56	20	400	PBKT1400	25
1	6	32	56	20	500	PBKT1500	25
1	6	32	56	20	600	PBKT1600	25
2	10	36	68	25	200	PBKT2200	25
2	10	36	68	25	300	PBKT2300	25
2	10	36	68	25	400	PBKT2400	25
2	10	36	68	25	500	PBKT2500	25
2	10	36	68	25	600	PBKT2600	25
3	10	42	80	30	200	PBKT3200	25
3	10	42	80	30	300	PBKT3300	25
3	10	42	80	30	400	PBKT3400	25
3	10	42	80	30	500	PBKT3500	25
3	10	42	80	30	600	PBKT3600	25



Plastic Handle Mount - Orange


Glass-fibre-reinforced plastic.

NO	ØR	L	H	h	CODE	QTY
1	6	32	20	56	PBKPT1	50
2	10	36	25	68	PBKPT2	50
3	10	42	30	80	PBKPT3	50



Bakelite Tubular Pull Handle


NO	ØR	L	H	h	h	CODE	QTY
2	M:8	33	47	13*30	200	BPBKO 2 200	25
2	M:8	33	47	13*30	300	BPBKO 2 300	25
2	M:8	33	47	13*30	400	BPBKO 2 400	25
2	M:8	33	47	13*30	500	BPBKO 2 500	25
2	M:8	33	47	13*30	600	BPBKO 2 600	25





Knurled Knob - Threaded Insert

Glass-fibre-reinforced plastic.




NO	D	h	D2	ØR	H	CODE	QTY
1	M:4	10	12	15	15	TD 1 4 B	100
1	M:5	10	12	15	15	TD 1 5 B	100
1	M:6	10	12	15	15	TD 1 6 B	100
2	M:5	10	15	20	19	TD 2 5 B	100
2	M:6	10	15	20	19	TD 2 6 B	100
2	M:8	10	15	20	19	TD 2 8 B	100
3	M:6	10	18	25	23	TD 3 6 B	100
3	M:8	10	18	25	23	TD 3 8 B	100
3	M:10	10	18	25	23	TD 3 10 B	100

Special plated hexagonal iron insert.



Knurled Knob - Threaded Stud

Glass-fibre-reinforced plastic.



NO	D	e	D2	ØR	H	CODE	QTY
1	M:4	10	12	15	15	TD 1 4*10	100
1	M:4	20	12	15	15	TD 1 4*20	100
1	M:5	10	12	15	15	TD 1 5*10	100
1	M:5	20	12	15	15	TD 1 5*20	100
1	M:6	10	12	15	15	TD 1 6*10	100
1	M:6	20	12	15	15	TD 1 6*20	100
2	M:5	15	15	20	19	TD 2 5*15	100
2	M:5	25	15	20	19	TD 2 5*25	100
2	M:6	15	15	20	19	TD 2 6*15	100
2	M:6	20	15	20	19	TD 2 6*20	100
2	M:6	25	15	20	19	TD 2 6*25	100
2	M:8	15	15	20	19	TD 2 8*15	100
2	M:8	25	15	20	19	TD 2 8*25	100
3	M:6	20	18	25	23	TD 3 6*20	100
3	M:6	25	18	25	23	TD 3 6*25	100
3	M:6	30	18	25	23	TD 3 6*30	100
3	M:8	20	18	25	23	TD 3 8*20	100
3	M:8	30	18	25	23	TD 3 8*30	100
3	M:10	30	18	25	23	TD 3 10*30	100

Special plated stud.

Also available in stainless steel.

Custom stud lengths also available.


Powder-Coated Metal Clamping Lever - Female

NO	ØR	D	e	h	CODE	QTY
1	50	M.5	7	30	MSK 1 5 B	25
1	50	M.6	8	30	MSK 1 6 B	25
2	63	M.6	12	32	MSK 2 6 B	25
2	63	M.8	12	32	MSK 2 8 B	25
3	80	M.8	14	34	MSK 3 8 B	25
3	80	M.10	14	34	MSK 3 10 B	25
4	95	M.10	16	45	MSK 4 10 B	25
4	95	M.12	16	45	MSK 4 12 B	25
5	114	M.12	19	54	MSK 5 12 B	25
5	114	M.16	19	54	MSK 5 16 B	25



Powder-Coated Metal Clamping Lever - Male

NO	ØR	D	e	h	CODE	QTY
1	50	M.5	20	30	MSK 1 5*20	25
1	50	M.5	30	30	MSK 1 5*30	25
1	50	M.5	40	30	MSK 1 5*40	25
1	50	M.6	20	30	MSK 1 6*20	25
1	50	M.6	30	30	MSK 1 6*30	25
1	50	M.6	40	30	MSK 1 6*40	25
2	63	M.8	20	32	MSK 2 8*20	25
2	63	M.8	30	32	MSK 2 8*30	25
2	63	M.8	40	32	MSK 2 8*40	25
2	63	M.10	20	32	MSK 2 10*20	25
2	63	M.10	30	32	MSK 2 10*30	25
3	80	M.8	20	34	MSK 3 8*20	25
3	80	M.8	30	34	MSK 3 8*30	25
3	80	M.8	40	34	MSK 3 8*40	25
3	80	M.10	25	34	MSK 3 10*25	25
3	80	M.10	30	34	MSK 3 10*30	25
3	80	M.10	40	34	MSK 3 10*40	25
3	80	M.12	30	34	MSK 3 12*30	25
3	80	M.12	40	34	MSK 3 12*40	25
4	95	M.10	30	45	MSK 4 10*30	25
4	95	M.10	40	45	MSK 4 10*40	25
4	95	M.12	30	45	MSK 4 12*30	25
4	95	M.12	40	45	MSK 4 12*40	25
5	114	M.12	30	54	MSK 5 12*30	25
5	114	M.12	40	54	MSK 5 12*40	25
5	114	M.16	30	54	MSK 5 16*30	25
5	114	M.16	40	54	MSK 5 16*40	25





Powder-Coated Metal Clamping Lever - Female

NO	ØR	D	e	h	CODE	QTY
1	50	M.5	7	30	MSKT1 5 B	25
1	50	M.6	8	30	MSKT1 6 B	25
2	63	M.6	12	32	MSKT2 6 B	25
2	63	M.8	12	32	MSKT2 8 B	25
3	80	M.8	14	34	MSKT3 8 B	25
3	80	M.10	14	34	MSKT3 10 B	25
4	95	M.10	16	45	MSKT4 10 B	25
4	95	M.12	16	45	MSKT4 12 B	25
5	114	M.12	19	54	MSKT5 12 B	25
5	114	M.16	19	54	MSKT5 16 B	25



Powder-Coated Metal Clamping Lever - Male

NO	ØR	D	e	h	CODE	QTY
1	50	M.5	20	30	MSKT1 5*20	25
1	50	M.5	30	30	MSKT1 5*30	25
1	50	M.5	40	30	MSKT1 5*40	25
1	50	M.6	20	30	MSKT1 6*20	25
1	50	M.6	30	30	MSKT1 6*30	25
1	50	M.6	40	30	MSKT1 6*40	25
2	63	M.8	20	32	MSKT2 8*20	25
2	63	M.8	30	32	MSKT2 8*30	25
2	63	M.8	40	32	MSKT2 8*40	25
2	63	M.10	20	32	MSKT2 10*20	25
2	63	M.10	30	32	MSKT2 10*30	25
3	80	M.8	20	34	MSKT3 8*20	25
3	80	M.8	30	34	MSKT3 8*30	25
3	80	M.8	40	34	MSKT3 8*40	25
3	80	M.10	25	34	MSKT3 10*25	25
3	80	M.10	30	34	MSKT3 10*30	25
3	80	M.10	40	34	MSKT3 10*40	25
3	80	M.12	30	34	MSKT3 12*30	25
3	80	M.12	40	34	MSKT3 12*40	25
4	95	M.10	30	45	MSKT4 10*30	25
4	95	M.10	40	45	MSKT4 10*40	25
4	95	M.12	30	45	MSKT4 12*30	25
4	95	M.12	40	45	MSKT4 12*40	25
5	114	M.12	30	54	MSKT5 12*30	25
5	114	M.12	40	54	MSKT5 12*40	25
5	114	M.16	30	54	MSKT5 16*30	25
5	114	M.16	40	54	MSKT5 16*40	25

Powder-Coated Metal Clamping Lever - Female

NO	ØR	D	e	h	CODE	QTY
1	50	M.5	7	30	MSKK1 5 B	25
1	50	M.6	8	30	MSKK1 6 B	25
2	63	M.6	12	32	MSKK2 6 B	25
2	63	M.8	12	32	MSKK2 8 B	25
3	80	M.8	14	34	MSKK3 8 B	25
3	80	M.10	14	34	MSKK310 B	25
4	95	M.10	16	45	MSKK410 B	25
4	95	M.12	16	45	MSKK412 B	25
5	114	M.12	19	54	MSKK512 B	25
5	114	M.16	19	54	MSKK516 B	25



Powder-Coated Metal Clamping Lever - Male

NO	ØR	D	e	h	CODE	QTY
1	50	M.5	20	30	MSKK1 5*20	25
1	50	M.5	30	30	MSKK1 5*30	25
1	50	M.5	40	30	MSKK1 5*40	25
1	50	M.6	20	30	MSKK1 6*20	25
1	50	M.6	30	30	MSKK1 6*30	25
1	50	M.6	40	30	MSKK1 6*40	25
2	63	M.8	20	32	MSKK2 8*20	25
2	63	M.8	30	32	MSKK2 8*30	25
2	63	M.8	40	32	MSKK2 8*40	25
2	63	M.10	20	32	MSKK210*20	25
2	63	M.10	30	32	MSKK210*30	25
3	80	M.8	20	34	MSKK3 8*20	25
3	80	M.8	30	34	MSKK3 8*30	25
3	80	M.8	40	34	MSKK3 8*40	25
3	80	M.10	25	34	MSKK310*25	25
3	80	M.10	30	34	MSKK310*30	25
3	80	M.10	40	34	MSKK310*40	25
3	80	M.12	30	34	MSKK312*30	25
3	80	M.12	40	34	MSKK312*40	25
4	95	M.10	30	45	MSKK410*30	25
4	95	M.10	40	45	MSKK410*40	25
4	95	M.12	30	45	MSKK412*30	25
4	95	M.12	40	45	MSKK412*40	25
5	114	M.12	30	54	MSKK512*30	25
5	114	M.12	40	54	MSKK512*40	25
5	114	M.16	30	54	MSKK516*30	25
5	114	M.16	40	54	MSKK516*40	25





Plastic Adjustable Clamping Lever - Female

Glass-fibre-reinforced plastic.

NO	ØR	I	H	h2	d1	h4	D	E	CODE	QTY
1	43	51	38	33	13	23	M.5	19	SKP 1 5 B	50
1	43	51	38	33	13	23	M.6	19	SKP 1 6 B	50
2	65	75	48	41	15	26	M.8	21	SKP 2 8 B	50
2	65	75	48	41	15	26	M.10	21	SKP 2 10 B	50
3	85	98	63	50	18	34	M.8	25	SKP 3 8 B	50
3	85	98	63	50	18	34	M.10	25	SKP 3 10 B	50
3	85	98	63	50	18	34	M.12	25	SKP 3 12 B	50

Plastic Adjustable Clamping Lever - Male

Glass-fibre-reinforced plastic.


NO	ØR	I	H	h2	d1	h4	D	E	CODE	QTY
1	43	51	38	33	13	23	M.5	20	SKP1 5*20	50
1	43	51	38	33	13	23	M.5	25	SKP1 5*25	50
1	43	51	38	33	13	23	M.5	30	SKP1 5*30	50
1	43	51	38	33	13	23	M.5	35	SKP1 5*35	50
1	43	51	38	33	13	23	M.6	20	SKP1 6*20	50
1	43	51	38	33	13	23	M.6	25	SKP1 6*25	50
1	43	51	38	33	13	23	M.6	30	SKP1 6*30	50
1	43	51	38	33	13	23	M.6	35	SKP1 6*35	50
2	65	75	48	41	15	26	M.8	20	SKP2 8*20	50
2	65	75	48	41	15	26	M.8	30	SKP2 8*30	50
2	65	75	48	41	15	26	M.8	40	SKP2 8*40	50
2	65	75	48	41	15	26	M.8	50	SKP2 8*50	50
2	65	75	48	41	15	26	M.8	60	SKP2 8*60	50
2	65	75	48	41	15	26	M.10	20	SKP2 10*20	50
2	65	75	48	41	15	26	M.10	30	SKP2 10*30	50
2	65	75	48	41	15	26	M.10	40	SKP2 10*40	50
2	65	75	48	41	15	26	M.10	50	SKP2 10*50	50
2	65	75	48	41	15	26	M.10	60	SKP2 10*60	50
3	85	98	63	50	18	34	M.8	30	SKP3 8*30	50
3	85	98	63	50	18	34	M.8	40	SKP3 8*40	50
3	85	98	63	50	18	34	M.8	50	SKP3 8*50	50
3	85	98	63	50	18	34	M.8	60	SKP3 8*60	50
3	85	98	63	50	18	34	M.10	30	SKP3 10*30	50
3	85	98	63	50	18	34	M.10	40	SKP3 10*40	50
3	85	98	63	50	18	34	M.10	50	SKP3 10*50	50
3	85	98	63	50	18	34	M.10	60	SKP3 10*60	50
3	85	98	63	50	18	34	M.12	30	SKP3 12*30	50
3	85	98	63	50	18	34	M.12	40	SKP3 12*40	50
3	85	98	63	50	18	34	M.12	50	SKP3 12*50	50
3	85	98	63	50	18	34	M.12	60	SKP3 12*60	50



Plastic Adjustable Clamping Lever - Female

Glass-fibre-reinforced plastic.


NO	ØR	I	H	h2	d1	h4	D	E	CODE	QTY
1	43	51	38	33	13	23	M.5	19	TSKP 1 5 B	50
1	43	51	38	33	13	23	M.6	19	TSKP 1 6 B	50
2	65	75	48	41	15	26	M.8	21	TSKP 2 8 B	50
2	65	75	48	41	15	26	M.10	21	TSKP 2 10 B	50
3	85	98	63	50	18	34	M.8	25	TSKP 3 8 B	50
3	85	98	63	50	18	34	M.10	25	TSKP 3 10 B	50
3	85	98	63	50	18	34	M.12	25	TSKP 3 12 B	50




Plastic Adjustable Clamping Lever - Male

Glass-fibre-reinforced plastic.

NO	ØR	I	H	h2	d1	h4	D	E	CODE	QTY
1	43	51	38	33	13	23	M.5	20	TSKP1 5*20	50
1	43	51	38	33	13	23	M.5	25	TSKP1 5*25	50
1	43	51	38	33	13	23	M.5	30	TSKP1 5*30	50
1	43	51	38	33	13	23	M.5	35	TSKP1 5*35	50
1	43	51	38	33	13	23	M.6	20	TSKP1 6*20	50
1	43	51	38	33	13	23	M.6	25	TSKP1 6*25	50
1	43	51	38	33	13	23	M.6	30	TSKP1 6*30	50
1	43	51	38	33	13	23	M.6	35	TSKP1 6*35	50
2	65	75	48	41	15	26	M.8	20	TSKP2 8*20	50
2	65	75	48	41	15	26	M.8	30	TSKP2 8*30	50
2	65	75	48	41	15	26	M.8	40	TSKP2 8*40	50
2	65	75	48	41	15	26	M.8	50	TSKP2 8*50	50
2	65	75	48	41	15	26	M.8	60	TSKP2 8*60	50
2	65	75	48	41	15	26	M.10	20	TSKP2 10*20	50
2	65	75	48	41	15	26	M.10	30	TSKP2 10*30	50
2	65	75	48	41	15	26	M.10	40	TSKP2 10*40	50
2	65	75	48	41	15	26	M.10	50	TSKP2 10*50	50
2	65	75	48	41	15	26	M.10	60	TSKP2 10*60	50
3	85	98	63	50	18	34	M.8	30	TSKP3 8*30	50
3	85	98	63	50	18	34	M.8	40	TSKP3 8*40	50
3	85	98	63	50	18	34	M.8	50	TSKP3 8*50	50
3	85	98	63	50	18	34	M.8	60	TSKP3 8*60	50
3	85	98	63	50	18	34	M.10	30	TSKP3 10*30	50
3	85	98	63	50	18	34	M.10	40	TSKP3 10*40	50
3	85	98	63	50	18	34	M.10	50	TSKP3 10*50	50
3	85	98	63	50	18	34	M.10	60	TSKP3 10*60	50
3	85	98	63	50	18	34	M.12	30	TSKP3 12*30	50
3	85	98	63	50	18	34	M.12	40	TSKP3 12*40	50
3	85	98	63	50	18	34	M.12	50	TSKP3 12*50	50
3	85	98	63	50	18	34	M.12	60	TSKP3 12*60	50





Swivel Levelling Foot - All-Plastic Assembly

Base: glass-fibre-reinforced plastic.

NO	ØR	d	e	h	H	c	CODE	QTY
2	60	M10	50	50	30	24	SAKP 2 10*50	25
2	60	M10	100	50	30	24	SAKP 2 10*100	25
2	60	M12	50	50	30	24	SAKP 2 12*50	25
2	60	M12	100	50	30	24	SAKP 2 12*100	25
2	60	M16	50	50	30	24	SAKP 2 16*50	25
2	60	M16	100	50	30	24	SAKP 2 16*100	25
2	60	M16	150	50	30	24	SAKP 2 16*150	25
2	60	M20	50	50	30	24	SAKP 2 20*50	25
2	60	M20	100	50	30	24	SAKP 2 20*100	25
2	60	M20	150	50	30	24	SAKP 2 20*150	25
3	80	M10	50	50	30	24	SAKP 3 10*50	25
3	80	M10	100	50	30	24	SAKP 3 10*100	25
3	80	M12	50	50	30	24	SAKP 3 12*50	25
3	80	M12	100	50	30	24	SAKP 3 12*100	25
3	80	M16	50	50	30	24	SAKP 3 16*50	25
3	80	M16	100	50	30	24	SAKP 3 16*100	25
3	80	M16	150	50	30	24	SAKP 3 16*150	25
3	80	M16	200	50	30	24	SAKP 3 16*200	25
3	80	M20	50	50	30	24	SAKP 3 20*50	25
3	80	M20	100	50	30	24	SAKP 3 20*100	25
3	80	M20	150	50	30	24	SAKP 3 20*150	25
3	80	M20	200	50	30	24	SAKP 3 20*200	25
4	110	M10	50	50	30	24	SAKP 4 10*50	25
4	110	M10	100	50	30	24	SAKP 4 10*100	25
4	110	M12	50	50	30	24	SAKP 4 12*50	25
4	110	M12	100	50	30	24	SAKP 4 12*100	25
4	110	M16	50	50	30	24	SAKP 4 16*50	25
4	110	M16	100	50	30	24	SAKP 4 16*100	25
4	110	M16	150	50	30	24	SAKP 4 16*150	25
4	110	M16	200	50	30	24	SAKP 4 16*200	25
4	110	M20	50	50	30	24	SAKP 4 20*50	25
4	110	M20	100	50	30	24	SAKP 4 20*100	25
4	110	M20	150	50	30	24	SAKP 4 20*150	25
4	110	M20	200	50	30	24	SAKP 4 20*200	25


Custom stud lengths also available.

Swivel Levelling Foot - Metal Stud Assembly

Glass-fibre-reinforced plastic.

NO	ØR	d	e	h	CODE	CAPACITY
1	40	M.8	40	35	SAKM 1 8*40	300 KG
1	40	M.8	50	35	SAKM 1 8*50	300 KG
1	40	M.8	70	35	SAKM 1 8*70	300 KG
1	40	M.8	100	35	SAKM 1 8*100	300 KG
1	40	M.10	40	35	SAKM 1 10*40	300 KG
1	40	M.10	50	35	SAKM 1 10*50	300 KG
1	40	M.10	70	35	SAKM 1 10*70	300 KG
1	40	M.10	100	35	SAKM 1 10*100	300 KG
1	40	M.12	40	35	SAKM 1 12*40	300 KG
1	40	M.12	50	35	SAKM 1 12*50	300 KG
1	40	M.12	70	35	SAKM 1 12*70	300 KG
1	40	M.12	100	35	SAKM 1 12*100	300 KG
2	60	M.8	50	35	SAKM 2 8*50	400 KG
2	60	M.8	100	35	SAKM 2 8*100	400 KG
2	60	M.10	50	35	SAKM 2 10*50	400 KG
2	60	M.10	100	35	SAKM 2 10*100	400 KG
2	60	M.12	50	35	SAKM 2 12*50	400 KG
2	60	M.12	100	35	SAKM 2 12*100	400 KG
2	60	M.16	50	50	SAKM 2 16*50	400 KG
2	60	M.16	100	50	SAKM 2 16*100	400 KG
2	60	M.20	50	50	SAKM 2 20*50	400 KG
2	60	M.20	100	50	SAKM 2 20*100	400 KG
3	80	M.10	50	37	SAKM 3 10*50	500 KG
3	80	M.10	100	37	SAKM 3 10*100	500 KG
3	80	M.12	50	37	SAKM 3 12*50	500 KG
3	80	M.12	100	37	SAKM 3 12*100	500 KG
3	80	M.16	50	50	SAKM 3 16*50	500 KG
3	80	M.16	100	50	SAKM 3 16*100	500 KG
3	80	M.16	150	50	SAKM 3 16*150	500 KG
3	80	M.16	200	50	SAKM 3 16*200	500 KG
3	80	M.20	50	50	SAKM 3 20*50	500 KG
3	80	M.20	100	50	SAKM 3 20*100	500 KG
3	80	M.20	150	50	SAKM 3 20*150	500 KG
3	80	M.20	200	50	SAKM 3 20*200	500 KG
4	110	M.10	50	40	SAKM 4 10*50	700 KG
4	110	M.10	100	40	SAKM 4 10*100	700 KG
4	110	M.12	50	40	SAKM 4 12*50	700 KG
4	110	M.12	100	40	SAKM 4 12*100	700 KG
4	110	M.16	50	50	SAKM 4 16*50	700 KG
4	110	M.16	100	50	SAKM 4 16*100	700 KG
4	110	M.16	150	50	SAKM 4 16*150	700 KG
4	110	M.16	200	50	SAKM 4 16*200	700 KG
4	110	M.20	50	50	SAKM 4 20*50	700 KG
4	110	M.20	100	50	SAKM 4 20*100	700 KG
4	110	M.20	150	50	SAKM 4 20*150	700 KG
4	110	M.20	200	50	SAKM 4 20*200	700 KG


Custom stud lengths also available.



Swivel Foot for Tubing - Metal Stud Assembly

Base: glass-fibre-reinforced plastic.

NO	ØR	d	e	D	H	c	CODE	QTY
1	35	M.8	50	40	26	20	PAOB 1 8*40	25
1	35	M.8	60	50	26	20	PAOB 1 8*50	25
1	35	M.8	80	70	26	20	PAOB 1 8*70	25
1	35	M.8	110	100	26	20	PAOB 1 8*100	25
1	35	M.10	50	40	26	20	PAOB 1 10*40	25
1	35	M.10	60	50	26	20	PAOB 1 10*50	25
1	35	M.10	80	70	26	20	PAOB 1 10*70	25
1	35	M.10	110	100	26	20	PAOB 1 10*100	25
1	35	M.12	50	40	26	20	PAOB 1 12*40	25
1	35	M.12	60	50	26	20	PAOB 1 12*50	25
1	35	M.12	80	70	26	20	PAOB 1 12*70	25
1	35	M.12	110	100	26	20	PAOB 1 12*100	25
2	45	M.8	50	40	30	22	PAOB 2 8*40	25
2	45	M.8	60	50	30	22	PAOB 2 8*50	25
2	45	M.8	80	70	30	22	PAOB 2 8*70	25
2	45	M.8	110	100	30	22	PAOB 2 8*100	25
2	45	M.10	50	40	30	22	PAOB 2 10*40	25
2	45	M.10	60	50	30	22	PAOB 2 10*50	25
2	45	M.10	80	70	30	22	PAOB 2 10*70	25
2	45	M.10	110	100	30	22	PAOB 2 10*100	25
2	45	M.12	50	40	30	22	PAOB 2 12*40	25
2	45	M.12	60	50	30	22	PAOB 2 12*50	25
2	45	M.12	80	70	30	22	PAOB 2 12*70	25
2	45	M.12	110	100	30	22	PAOB 2 12*100	25
3	55	M.8	50	40	35	24	PAOB 3 8*40	25
3	55	M.8	60	50	35	24	PAOB 3 8*50	25
3	55	M.8	80	70	35	24	PAOB 3 8*70	25
3	55	M.8	110	100	35	24	PAOB 3 8*100	25
3	55	M.10	50	40	35	24	PAOB 3 10*40	25
3	55	M.10	60	50	35	24	PAOB 3 10*50	25
3	55	M.10	80	70	35	24	PAOB 3 10*70	25
3	55	M.10	110	100	35	24	PAOB 3 10*100	25
3	55	M.12	50	40	35	24	PAOB 3 12*40	25
3	55	M.12	60	50	35	24	PAOB 3 12*50	25
3	55	M.12	80	70	35	24	PAOB 3 12*70	25
3	55	M.12	110	100	35	24	PAOB 3 12*100	25
4	70	M.8	50	40	38	25	PAOB 4 8*40	25
4	70	M.8	60	50	38	25	PAOB 4 8*50	25
4	70	M.8	80	70	38	25	PAOB 4 8*70	25
4	70	M.8	110	100	38	25	PAOB 4 8*100	25
4	70	M.10	50	40	38	25	PAOB 4 10*40	25
4	70	M.10	60	50	38	25	PAOB 4 10*50	25
4	70	M.10	80	70	38	25	PAOB 4 10*70	25
4	70	M.10	110	100	38	25	PAOB 4 10*100	25
4	70	M.12	50	40	38	25	PAOB 4 12*40	25
4	70	M.12	60	50	38	25	PAOB 4 12*50	25
4	70	M.12	80	70	38	25	PAOB 4 12*70	25
4	70	M.12	110	100	38	25	PAOB 4 12*100	25




Custom stud lengths also available.

Swivel Levelling Foot - Female Metal Insert

Base: glass-fibre-reinforced plastic.

NO	ØR	d	H	h	c	e	CODE	QTY
2	60	M10	50	30	24	25	SAOB 2 10 D	25
2	60	M12	50	30	24	25	SAOB 2 12 D	25
2	60	M16	50	30	24	25	SAOB 2 16 D	25
3	80	M10	54	30	24	25	SAOB 3 10 D	25
3	80	M12	54	30	24	25	SAOB 3 12 D	25
3	80	M16	54	30	24	25	SAOB 3 16 D	25
4	110	M10	54	30	24	25	SAOB 4 10 D	25
4	110	M12	54	30	24	25	SAOB 4 12 D	25
4	110	M16	54	30	24	25	SAOB 4 16 D	25
4	110	M20	54	30	24	25	SAOB 4 20 D	25



Levelling Foot for Tubing

Base: glass-fibre-reinforced plastic.

NO	ØR	H	e	d	CODE	QTY	CAPACITY
1	35	26	35	M6	PA 1 6*35	100	200 KG
1	35	26	35	M8	PA 1 8*35	100	200 KG
1	35	26	35	M10	PA 1 10*35	100	250 KG
2	45	30	40	M8	PA 2 8*35	100	300 KG
2	45	30	40	M10	PA 2 10*35	100	400 KG
2	45	30	40	M12	PA 2 12*35	100	400 KG
2	45	30	40	M16	PA 2 16*35	100	500 KG
3	55	35	50	M8	PA 3 8*50	100	600 KG
3	55	35	50	M10	PA 3 10*50	100	350 KG
3	55	35	50	M12	PA 3 12*50	100	600 KG
3	55	35	50	M16	PA 3 16*50	100	800 KG
4	70	38	60	M8	PA 4 8*60	100	600 KG
4	70	38	60	M10	PA 4 10*60	100	800 KG
4	70	38	60	M12	PA 4 12*60	100	1000 KG
4	70	38	60	M16	PA 4 16*60	100	1000 KG



Levelling Foot for Tubing - Female Thread

Base: glass-fibre-reinforced plastic.

NO	ØR	H	e	d	c	CODE	QTY
1	35	26	35	M6	20	PA 1 6 D	100
1	35	26	35	M8	20	PA 1 8 D	100
1	35	26	35	M10	20	PA 1 10 D	100
2	45	30	40	M8	22	PA 2 8 D	100
2	45	30	40	M10	22	PA 2 10 D	100
2	45	30	40	M12	22	PA 2 12 D	100
2	45	30	40	M16	22	PA 2 16 D	100
3	55	35	50	M8	24	PA 3 8 D	100
3	55	35	50	M10	24	PA 3 10 D	100
3	55	35	50	M12	24	PA 3 12 D	100
3	55	35	50	M16	24	PA 3 16 D	100
4	70	38	60	M8	25	PA 4 8 D	100
4	70	38	60	M10	25	PA 4 10 D	100
4	70	38	60	M12	25	PA 4 12 D	100
4	70	38	60	M16	25	PA 4 16 D	100





Square Tube Threaded Foot Insert

Glass-fibre-reinforced plastic.

NO	H	e	h	d	ØR	CODE	QTY
1	22	26	26	M.8	25	KPB 1 8	50
2	26	28	28	M.8	30	KPB 2 8	50
2	26	28	28	M.10	30	KPB 2 10	50
3	36	29	29	M.10	40	KPB 3 10	50
3	36	29	29	M.12	40	KPB 3 12	50
3	36	29	29	M.16	40	KPB 3 16	50
4	46	37	37	M.10	50	KPB 4 10	50
4	46	37	37	M.12	50	KPB 4 12	50
4	46	37	37	M.16	50	KPB 4 16	50

Rectangular Tube Threaded Foot Insert

Glass-fibre-reinforced plastic.

NO	L	H	e	h	d	h1	ØR	CODE	QTY
1	30	26	25	5	M.8	16	20	DPB 1 8	50
1	30	26	25	5	M.10	16	20	DPB 1 10	50
2	40	36	29	9	M.10	26	30	DPB 2 10	50
2	40	36	29	9	M.12	26	30	DPB 2 12	50
2	40	36	29	9	M.16	26	30	DPB 2 16	50
3	60	56	33	10	M.10	36	40	DPB 3 10	50
3	60	56	33	10	M.12	36	40	DPB 3 12	50
3	60	56	33	10	M.16	36	40	DPB 3 16	50

Square Tube Foot Assembly

Glass-fibre-reinforced plastic.

NO	BUSH	e	ØR	CODE	QTY
1	25*25	M.8	25	KPTK 1 8	50
2	30*30	M.8	25	KPTK 2 8	50
2	30*30	M.10	25	KPTK 2 10	50
3	40*40	M.10	38	KPTK 3 10	50
3	40*40	M.12	38	KPTK 3 12	50
3	40*40	M.16	38	KPTK 3 16	50
4	50*50	M.10	45	KPTK 4 10	50
4	50*50	M.12	45	KPTK 4 12	50
4	50*50	M.16	45	KPTK 4 16	50


Rectangular Tube Foot Assembly

Glass-fibre-reinforced plastic.

NO	BUSH	e	ØR	CODE	QTY
1	30*40	M.3/8	25	DPTK 1 3/8	50
2	30*50	M.10	38	DPTK 2 10	50
2	30*50	M.12	38	DPTK 2 12	50
3	40*60	M.10	38	DPTK 3 10	50
3	40*60	M.12	38	DPTK 3 12	50


Ribbed Machine Foot - Powder-Coated

NO	D	e	H	CODE	CAPACITY
80	M 12*1,25	120	45	TTFB 80 12	500 KG
80	M 16*1,50	150	45	TTFB 80 16	500 KG
100	M 12*1,25	120	45	TTFB 100 12	750 KG
100	M 16*1,50	150	45	TTFB 100 16	750 KG
120	M 12*1,25	120	50	TTFB 120 12	1000 KG
120	M 16*1,50	150	50	TTFB 120 16	1000 KG
120	M 20*1,50	170	50	TTFB 120 20	1000 KG
160	M 12*1,25	120	60	TTFB 160 12	2000 KG
160	M 16*1,50	150	60	TTFB 160 16	2000 KG
160	M 20*1,50	170	60	TTFB 160 20	2000 KG
200	M 16*1,50	150	68	TTFB 200 16	5000 KG
200	M 20*1,50	170	68	TTFB 200 20	5000 KG




Internally Ribbed Machine Foot - Powder-Coated

NO	D	e	H	CODE	CAPACITY
80	M 12*1,25	120	29	TTFIB 80 12	500 KG
80	M 16*1,50	150	29	TTFIB 80 16	500 KG
100	M 12*1,25	120	36	TTFIB 100 12	750 KG
100	M 16*1,50	150	36	TTFIB 100 16	750 KG
120	M 12*1,25	120	40	TTFIB 120 12	1000 KG
120	M 16*1,50	150	40	TTFIB 120 16	1000 KG
120	M 20*1,50	170	40	TTFIB 120 20	1000 KG
160	M 12*1,25	120	43	TTFIB 160 12	2000 KG
160	M 16*1,50	150	43	TTFIB 160 16	2000 KG
160	M 20*1,50	170	43	TTFIB 160 20	2000 KG
200	M 16*1,50	150	54	TTFIB 200 16	5000 KG
200	M 20*1,50	170	54	TTFIB 200 20	5000 KG




Flat Machine Foot - Chrome-Plated



NO	D	e	H	CODE	CAPACITY
40	M 8	50	13	TTDK 40 8	200 KG
40	M 10	50	13	TTDK 40 10	200 KG
40	M 12	50	13	TTDK 40 12	200 KG
60	M 10	70	16	TTDK 60 10	250 KG
60	M 12	70	16	TTDK 60 12	300 KG
60	M 16	70	16	TTDK 60 16	400 KG
80	M 12	100	24	TTDK 80 12	400 KG
80	M 16	100	24	TTDK 80 16	500 KG
80	M 20	100	24	TTDK 80 20	600 KG
100	M 12	100	26	TTDK 100 12	350 KG
100	M 16	100	26	TTDK 100 16	600 KG
100	M 20	100	26	TTDK 100 20	800 KG
120	M 12	100	28	TTDK 120 12	600 KG
120	M 16	100	28	TTDK 120 16	800 KG
120	M 20	100	28	TTDK 120 20	1000 KG
120	M 20	150	28	TTDK 120 20*150	1000 KG
160	M 12	100	38	TTDK 160 12	1200 KG
160	M 16	100	38	TTDK 160 16	1200 KG
160	M 20	100	38	TTDK 160 20	1200 KG
160	M 20	150	38	TTDK 160 20*150	1200 KG
200	M 16	100	50	TTDK 200 16	1500 KG
200	M 20	100	50	TTDK 200 20	1500 KG
200	M 20	150	50	TTDK 200 20*150	1500 KG


Flat Machine Foot - Powder-Coated



NO	D	e	H	CODE	CAPACITY
40	M 8	50	13	TTDB 40 8	200 KG
40	M 10	50	13	TTDB 40 10	200 KG
40	M 12	50	13	TTDB 40 12	200 KG
60	M 10	70	16	TTDB 60 10	250 KG
60	M 12	70	16	TTDB 60 12	300 KG
60	M 16	70	16	TTDB 60 16	400 KG
80	M 12	100	24	TTDB 80 12	400 KG
80	M 16	100	24	TTDB 80 16	500 KG
80	M 20	100	24	TTDB 80 20	600 KG
100	M 12	100	26	TTDB 100 12	350 KG
100	M 16	100	26	TTDB 100 16	600 KG
100	M 20	100	26	TTDB 100 20	800 KG
120	M 12	100	28	TTDB 120 12	600 KG
120	M 16	100	28	TTDB 120 16	800 KG
120	M 20	100	28	TTDB 120 20	1000 KG
120	M 20	150	28	TTDB 120 20*150	1000 KG
160	M 12	100	38	TTDB 160 12	1200 KG
160	M 16	100	38	TTDB 160 16	1200 KG
160	M 20	100	38	TTDB 160 20	1200 KG
160	M 20	150	38	TTDB 160 20*150	1200 KG
200	M 16	100	50	TTDB 200 16	1500 KG
200	M 20	100	50	TTDB 200 20	1500 KG
200	M 20	150	50	TTDB 200 20*150	1500 KG


Domed Machine Foot - Chrome-Plated

NO	D	e	H	CODE	CAPACITY
40	M 8	50	14	TTBK 40 8	200 KG
40	M 10	50	14	TTBK 40 10	200 KG
40	M 12	50	14	TTBK 40 12	200 KG
60	M 10	70	17	TTBK 60 10	250 KG
60	M 12	70	17	TTBK 60 12	300 KG
60	M 16	70	17	TTBK 60 16	400 KG
80	M 12	100	25	TTBK 80 12	400 KG
80	M 16	100	25	TTBK 80 16	500 KG
80	M 20	100	25	TTBK 80 20	600 KG
100	M 12	100	27	TTBK 100 12	350 KG
100	M 16	100	27	TTBK 100 16	600 KG
100	M 20	100	27	TTBK 100 20	800 KG
120	M 12	100	36	TTBK 120 12	600 KG
120	M 16	100	36	TTBK 120 16	800 KG
120	M 20	100	36	TTBK 120 20	1000 KG
120	M 20	150	28	TTBK 120 20*150	1000 KG
160	M 12	100	38	TTBK 160 12	1200 KG
160	M 16	100	38	TTBK 160 16	1200 KG
160	M 20	100	38	TTBK 160 20	1200 KG
160	M 20	150	38	TTBK 160 20*150	1200 KG
200	M 16	100	50	TTBK 200 16	1500 KG
200	M 20	100	50	TTBK 200 20	1500 KG
200	M 20	150	50	TTBK 200 20*150	1500 KG




Domed Machine Foot - Powder-Coated

NO	D	e	H	CODE	CAPACITY
40	M 8	50	14	TTBK 40 8	200 KG
40	M 10	50	14	TTBK 40 10	200 KG
40	M 12	50	14	TTBK 40 12	200 KG
60	M 10	70	17	TTBK 60 10	250 KG
60	M 12	70	17	TTBK 60 12	300 KG
60	M 16	70	17	TTBK 60 16	400 KG
80	M 12	100	25	TTBK 80 12	400 KG
80	M 16	100	25	TTBK 80 16	500 KG
80	M 20	100	25	TTBK 80 20	600 KG
100	M 12	100	27	TTBK 100 12	350 KG
100	M 16	100	27	TTBK 100 16	600 KG
100	M 20	100	27	TTBK 100 20	800 KG
120	M 12	100	36	TTBK 120 12	600 KG
120	M 16	100	36	TTBK 120 16	800 KG
120	M 20	100	36	TTBK 120 20	1000 KG
120	M 20	150	28	TTBK 120 20*150	1000 KG
160	M 12	100	38	TTBK 160 12	1200 KG
160	M 16	100	38	TTBK 160 16	1200 KG
160	M 20	100	38	TTBK 160 20	1200 KG
160	M 20	150	38	TTBK 160 20*150	1200 KG
200	M 16	100	50	TTBK 200 16	1500 KG
200	M 20	100	50	TTBK 200 20	1500 KG
200	M 20	150	50	TTBK 200 20*150	1500 KG



Flat Machine Foot - Chrome-Plated / Powder-Coated




CHROME-PLATED				
NO	D	e	H	CODE
60	M,8	50	17	TTBOK 60 8*50
60	M,8	70	17	TTBOK 60 8*70
60	M,8	100	17	TTBOK 60 8*100
60	M,10	50	17	TTBOK 60 10*50
60	M,10	70	17	TTBOK 60 10*70
60	M,10	100	17	TTBOK 60 10*100
60	M,12	50	17	TTBOK 60 12*50
60	M,12	70	17	TTBOK 60 12*70
60	M,12	100	17	TTBOK 60 12*100
80	M,8	50	25	TTBOK 80 8*50
80	M,8	70	25	TTBOK 80 8*70
80	M,8	100	25	TTBOK 80 8*100
80	M,10	50	25	TTBOK 80 10*50
80	M,10	70	25	TTBOK 80 10*70
80	M,10	100	25	TTBOK 80 10*100
80	M,12	50	25	TTBOK 80 12*50
80	M,12	70	25	TTBOK 80 12*70
80	M,12	100	25	TTBOK 80 12*100
80	M,16	50	25	TTBOK 80 16*50
80	M,16	100	25	TTBOK 80 16*100
80	M,16	150	25	TTBOK 80 16*150
80	M,16	200	25	TTBOK 80 16*200
80	M,20	50	25	TTBOK 80 20*50
80	M,20	100	25	TTBOK 80 20*100
80	M,20	150	25	TTBOK 80 20*150
80	M,20	200	25	TTBOK 80 20*200
100	M,16	50	27	TTBOK 100 16*50
100	M,16	100	27	TTBOK 100 16*100
100	M,16	150	27	TTBOK 100 16*150
100	M,16	200	27	TTBOK 100 16*200
100	M,20	50	27	TTBOK 100 20*50
100	M,20	100	27	TTBOK 100 20*100
100	M,20	150	27	TTBOK 100 20*150
100	M,20	200	27	TTBOK 100 20*200
120	M,16	50	36	TTBOK 120 16*50
120	M,16	100	36	TTBOK 120 16*100
120	M,16	150	36	TTBOK 120 16*150
120	M,16	200	36	TTBOK 120 16*200
120	M,20	50	36	TTBOK 120 20*50
120	M,20	100	36	TTBOK 120 20*100
120	M,20	150	36	TTBOK 120 20*150
120	M,20	200	36	TTBOK 120 20*200
160	M,16	50	39	TTBOK 160 16*50
160	M,16	100	39	TTBOK 160 16*100
160	M,16	150	39	TTBOK 160 16*150
160	M,16	200	39	TTBOK 160 16*200
160	M,20	50	39	TTBOK 160 20*50
160	M,20	100	39	TTBOK 160 20*100
160	M,20	150	39	TTBOK 160 20*150
160	M,20	200	39	TTBOK 160 20*200
160	M,16	50	39	TTBOK 200 16*50
160	M,16	100	39	TTBOK 200 16*100
160	M,16	150	50	TTBOK 200 16*150
160	M,16	200	50	TTBOK 200 16*200
160	M,20	50	50	TTBOK 200 20*50
160	M,20	100	50	TTBOK 200 20*100
160	M,20	150	50	TTBOK 200 20*150
160	M,20	200	50	TTBOK 200 20*200

POWDER-COATED	
CODE	
TTBOB 60	8*50
TTBOB 60	8*70
TTBOB 60	8*100
TTBOB 60	10*50
TTBOB 60	10*70
TTBOB 60	10*100
TTBOB 60	12*50
TTBOB 60	12*70
TTBOB 60	12*100
TTBOB 80	8*50
TTBOB 80	8*70
TTBOB 80	8*100
TTBOB 80	10*50
TTBOB 80	10*70
TTBOB 80	10*100
TTBOB 80	12*50
TTBOB 80	12*70
TTBOB 80	12*100
TTBOB 80	16*50
TTBOB 80	16*100
TTBOB 80	16*150
TTBOB 80	16*200
TTBOB 80	20*50
TTBOB 80	20*100
TTBOB 80	20*150
TTBOB 80	20*200
TTBOB 100	16*50
TTBOB 100	16*100
TTBOB 100	16*150
TTBOB 100	16*200
TTBOB 100	20*50
TTBOB 100	20*100
TTBOB 100	20*150
TTBOB 100	20*200
TTBOB 120	16*50
TTBOB 120	16*100
TTBOB 120	16*150
TTBOB 120	16*200
TTBOB 120	20*50
TTBOB 120	20*100
TTBOB 120	20*150
TTBOB 120	20*200
TTBOB 160	16*50
TTBOB 160	16*100
TTBOB 160	16*150
TTBOB 160	16*200
TTBOB 160	20*50
TTBOB 160	20*100
TTBOB 160	20*150
TTBOB 160	20*200
TTBOB 200	16*50
TTBOB 200	16*100
TTBOB 200	16*150
TTBOB 200	16*200
TTBOB 200	20*50
TTBOB 200	20*100
TTBOB 200	20*150
TTBOB 200	20*200


Domed Machine Foot - Female, Chrome-Plated

NO	D	H	CODE	CAPACITY
60	M.8	17	TTBDK 60 8	400 KG
60	M.10	17	TTBDK 60 10	400 KG
60	M.12	17	TTBDK 60 12	400 KG
80	M.10	25	TTBDK 80 10	600 KG
80	M.12	25	TTBDK 80 12	600 KG
80	M.16	25	TTBDK 80 16	600 KG
100	M.16	27	TTBDK 100 10	800 KG
100	M.20	27	TTBDK 100 12	800 KG
100	M.16	27	TTBDK 100 16	800 KG
120	M.16	36	TTBDK 120 16	1000 KG
120	M.20	36	TTBDK 120 20	1000 KG
160	M.16	39	TTBDK 160 16	1200 KG
160	M.20	39	TTBDK 160 20	1200 KG
200	M.16	50	TTBDK 200 16	1500 KG
200	M.20	50	TTBDK 200 20	1500 KG




Domed Machine Foot - Female, Powder-Coated

NO	D	H	CODE	CAPACITY
60	M.8	17	TTBDB 60 8	400 KG
60	M.10	17	TTBDB 60 10	400 KG
60	M.12	17	TTBDB 60 12	400 KG
80	M.10	25	TTBDB 80 10	600 KG
80	M.12	25	TTBDB 80 12	600 KG
80	M.16	25	TTBDB 80 16	600 KG
100	M.16	27	TTBDB 100 10	800 KG
100	M.20	27	TTBDB 100 12	800 KG
100	M.16	27	TTBDB 100 16	800 KG
120	M.16	36	TTBDB 120 16	1000 KG
120	M.20	36	TTBDB 120 20	1000 KG
160	M.16	39	TTBDB 160 16	1200 KG
160	M.20	39	TTBDB 160 20	1200 KG
200	M.16	50	TTBDB 200 16	1500 KG
200	M.20	50	TTBDB 200 20	1500 KG




Swivel Levelling Foot - Conical Metal Base

NO	D	e	H	CODE	CAPACITY
40	M 8	50	19	SAMTKOK 40 8*50	100
40	M 8	70	19	SAMTKOK 40 8*70	100
40	M 10	50	19	SAMTKOK 40 10*50	100
40	M 10	70	19	SAMTKOK 40 10*70	100
40	M 12	50	19	SAMTKOK 40 12*50	100
40	M 12	70	19	SAMTKOK 40 12*70	100
60	M 8	50	21	SAMTKOK 60 8*50	200
60	M 8	70	21	SAMTKOK 60 8*70	200
60	M 8	100	21	SAMTKOK 60 8*100	200
60	M 10	50	21	SAMTKOK 60 10*50	200
60	M 10	70	21	SAMTKOK 60 10*70	200
60	M 10	100	21	SAMTKOK 60 10*100	200
60	M 12	50	21	SAMTKOK 60 12*50	200
60	M 12	70	21	SAMTKOK 60 12*70	200
60	M 12	100	21	SAMTKOK 60 12*100	200
60	M 16	50	21	SAMTKOK 60 16*50	200
60	M 16	100	21	SAMTKOK 60 16*100	200
80	M 16	50	23	SAMTKOK 80 16*50	500
80	M 16	100	23	SAMTKOK 80 16*100	500
80	M 16	150	23	SAMTKOK 80 16*150	500
80	M 16	200	23	SAMTKOK 80 16*200	500
80	M 20	50	23	SAMTKOK 80 20*50	500
80	M 20	100	23	SAMTKOK 80 20*100	500
80	M 20	150	23	SAMTKOK 80 20*150	500
80	M 20	200	23	SAMTKOK 80 20*200	500
100	M 16	50	26	SAMTKOK 100 16*50	800
100	M 16	100	26	SAMTKOK 100 16*100	800
100	M 16	150	26	SAMTKOK 100 16*150	800
100	M 16	200	26	SAMTKOK 100 16*200	800
100	M 20	50	26	SAMTKOK 100 20*50	1000
100	M 20	100	26	SAMTKOK 100 20*100	1000
100	M 20	150	26	SAMTKOK 100 20*150	1000
100	M 20	200	26	SAMTKOK 100 20*200	1000



Swivel Levelling Foot - Conical Metal Base, Powder-Coated


NO	D	e	H	CODE	CAPACITY
40	M 8	50	19	SAMTKOB 40 8*50	100
40	M 8	70	19	SAMTKOB 40 8*70	100
40	M 10	50	19	SAMTKOB 40 10*50	100
40	M 10	70	19	SAMTKOB 40 10*70	100
40	M 12	50	19	SAMTKOB 40 12*50	100
40	M 12	70	19	SAMTKOB 40 12*70	100
60	M 8	50	21	SAMTKOB 60 8*50	200
60	M 8	70	21	SAMTKOB 60 8*70	200
60	M 8	100	21	SAMTKOB 60 8*100	200
60	M 10	50	21	SAMTKOB 60 10*50	200
60	M 10	70	21	SAMTKOB 60 10*70	200
60	M 10	100	21	SAMTKOB 60 10*100	200
60	M 12	50	21	SAMTKOB 60 12*50	200
60	M 12	70	21	SAMTKOB 60 12*70	200
60	M 12	100	21	SAMTKOB 60 12*100	200
60	M 16	50	21	SAMTKOB 60 16*50	200
60	M 16	100	21	SAMTKOB 60 16*100	200
80	M 16	50	23	SAMTKOB 80 16*50	500
80	M 16	100	23	SAMTKOB 80 16*100	500
80	M 16	150	23	SAMTKOB 80 16*150	500
80	M 16	200	23	SAMTKOB 80 16*200	500
80	M 20	50	23	SAMTKOB 80 20*50	500
80	M 20	100	23	SAMTKOB 80 20*100	500
80	M 20	150	23	SAMTKOB 80 20*150	500
80	M 20	200	23	SAMTKOB 80 20*200	500
100	M 16	50	26	SAMTKOB 100 16*50	800
100	M 16	100	26	SAMTKOB 100 16*100	800
100	M 16	150	26	SAMTKOB 100 16*150	800
100	M 16	200	26	SAMTKOB 100 16*200	800
100	M 20	50	26	SAMTKOB 100 20*50	1000
100	M 20	100	26	SAMTKOB 100 20*100	1000
100	M 20	150	26	SAMTKOB 100 20*150	1000
100	M 20	200	26	SAMTKOB 100 20*200	1000



Swivel Levelling Foot - Domed Metal Base

CHROME-PLATED				
NO	D	e	H	CODE
40	M.8	50	19	SAMTBOK 40 8*50
40	M.8	70	19	SAMTBOK 40 8*70
40	M.10	50	19	SAMTBOK 40 10*50
40	M.10	70	19	SAMTBOK 40 10*70
40	M.12	50	19	SAMTBOK 40 12*50
40	M.12	70	19	SAMTBOK 40 12*70
60	M.8	50	21	SAMTBOK 60 8*50
60	M.8	70	21	SAMTBOK 60 8*70
60	M.8	100	21	SAMTBOK 60 8*100
60	M.10	50	21	SAMTBOK 60 10*50
60	M.10	70	21	SAMTBOK 60 10*70
60	M.10	100	21	SAMTBOK 60 10*100
60	M.12	50	21	SAMTBOK 60 12*50
60	M.12	70	21	SAMTBOK 60 12*70
60	M.12	100	21	SAMTBOK 60 12*100
60	M.16	50	21	SAMTBOK 60 16*50
60	M.16	100	21	SAMTBOK 60 16*100
80	M.16	50	23	SAMTBOK 80 16*50
80	M.16	100	23	SAMTBOK 80 16*100
80	M.16	150	23	SAMTBOK 80 16*150
80	M.16	200	23	SAMTBOK 80 16*200
80	M.20	50	23	SAMTBOK 80 20*50
80	M.20	100	23	SAMTBOK 80 20*100
80	M.20	150	23	SAMTBOK 80 20*150
80	M.20	200	23	SAMTBOK 80 20*200
100	M.16	50	26	SAMTBOK 100 16*50
100	M.16	100	26	SAMTBOK 100 16*100
100	M.16	150	26	SAMTBOK 100 16*150
100	M.16	200	26	SAMTBOK 100 16*200
100	M.20	50	26	SAMTBOK 100 20*50
100	M.20	100	26	SAMTBOK 100 20*100
100	M.20	150	26	SAMTBOK 100 20*150
100	M.20	200	26	SAMTBOK 100 20*200


POWDER-COATED	
CODE	CAPACITY
SAMTBOB 40 8*50	100
SAMTBOB 40 8*70	100
SAMTBOB 40 10*50	100
SAMTBOB 40 10*70	100
SAMTBOB 40 12*50	100
SAMTBOB 40 12*70	100
SAMTBOB 60 8*50	200
SAMTBOB 60 8*70	200
SAMTBOB 60 8*100	200
SAMTBOB 60 10*50	200
SAMTBOB 60 10*70	200
SAMTBOB 60 10*100	200
SAMTBOB 60 12*50	200
SAMTBOB 60 12*70	200
SAMTBOB 60 12*100	200
SAMTBOB 60 16*50	200
SAMTBOB 60 16*100	200
SAMTBOB 80 16*50	500
SAMTBOB 80 16*100	500
SAMTBOB 80 16*150	500
SAMTBOB 80 16*200	500
SAMTBOB 80 20*50	500
SAMTBOB 80 20*100	500
SAMTBOB 80 20*150	500
SAMTBOB 80 20*200	500
SAMTBOB 100 16*50	800
SAMTBOB 100 16*100	800
SAMTBOB 100 16*150	800
SAMTBOB 100 16*200	800
SAMTBOB 100 20*50	1000
SAMTBOB 100 20*100	1000
SAMTBOB 100 20*150	1000
SAMTBOB 100 20*200	1000



Stainless Steel Levelling Foot for Tubing

Base: glass-fibre-reinforced plastic.


NO	R	D	e	H	QTY	CODE
1	26	35	35	M.6	19	PAP 1 6*35
1	26	35	35	M.8	19	PAP 1 8*35
2	30	45	40	M.8	19	PAP 1 10*35
2	30	45	40	M.10	19	PAP 2 8*35
2	30	45	40	M.12	19	PAP 2 10*35
3	35	55	50	M.8	19	PAP 2 12*35
3	35	55	50	M.10	21	PAP 3 8*50
3	35	55	50	M.12	21	PAP 3 10*50
3	35	55	50	M.16	21	PAP 3 12*50
4	38	70	60	M.8	21	PAP 4 8*60
4	38	70	60	M.10	21	PAP 4 10*60
4	38	70	60	M.12	21	PAP 4 12*60
4	38	70	60	M.16	21	PAP 4 16*60



Stainless Steel Square Tube Foot Insert

NO	H	e	h	d	R	QTY	CODE
1	22	26	5	M.8	25	50	KPBP 1 8
2	26	28	8	M.8	30	50	KPBP 2 8
2	26	28	8	M.10	30	50	KPBP 2 10
3	36	29	8	M.10	40	50	KPBP 3 10
3	36	29	8	M.12	40	50	KPBP 3 12
3	36	29	8	M.16	40	50	KPBP 3 16
4	46	37	10	M.10	50	50	KPBP 4 10
4	46	37	10	M.12	50	50	KPBP 4 12
4	46	37	10	M.16	50	50	KPBP 4 16






Stainless Steel Swivel Tube Foot - Metal Stud Assembly

Base: glass-fibre-reinforced plastic.


NO	ØR	D	e	d	H	c	CODE
1	35	M.8	80	70	26	20	PAOBP 1 8*70
1	35	M.10	80	70	26	20	PAOBP 1 10*70
1	35	M.12	80	70	26	20	PAOBP 1 12*70
2	45	M.8	80	70	30	22	PAOBP 2 8*70
2	45	M.10	80	70	30	22	PAOBP 2 10*70
2	45	M.12	80	70	30	22	PAOBP 2 12*70
3	55	M.8	80	70	35	24	PAOBP 3 8*70
3	55	M.10	80	70	35	24	PAOBP 3 10*70
3	55	M.12	80	70	35	24	PAOBP 3 12*70
4	70	M.8	80	70	38	25	PAOBP 4 8*70
4	70	M.10	80	70	38	25	PAOBP 4 10*70
4	70	M.12	80	70	38	25	PAOBP 4 12*70



Stainless Steel Swivel Tube Foot - Metal Stud Assembly

Base: glass-fibre-reinforced plastic.

NO	ØR	d	e	D	H	c	CODE	QTY
1	60	M.8	70	40	30	16	SAKMP 2 8*70	25
1	60	M.10	70	40	30	16	SAKMP 2 10*70	25
1	60	M.12	70	40	30	16	SAKMP 2 12*70	25
1	60	M.16	100	50	30	18	SAKMP 2 16*100	25
1	60	M.20	100	50	30	22	SAKMP 2 20*100	25
2	80	M.8	70	40	30	16	SAKMP 3 8*70	25
2	80	M.10	70	40	30	16	SAKMP 3 10*70	25
2	80	M.12	70	40	30	16	SAKMP 3 12*70	25
2	80	M.16	100	50	30	18	SAKMP 3 16*100	25
2	80	M.20	100	50	30	22	SAKMP 3 20*100	25
3	110	M.8	70	40	30	16	SAKMP 4 8*70	25
3	110	M.10	70	40	30	16	SAKMP 4 10*70	25
3	110	M.12	70	40	30	16	SAKMP 4 12*70	25



Stainless Steel Swivel Tube Foot - Metal / Plastic Ass

Base: glass-fibre-reinforced plastic.

NO	ØR	d	e	D	H	c	CODE	QTY
2	60	M.10	100	50	30	24	SAKPP 2 10*100	25
2	60	M.12	100	50	30	24	SAKPP 2 12*100	25
2	60	M.16	100	50	30	24	SAKPP 2 16*100	25
2	60	M.20	100	50	30	24	SAKPP 2 20*100	25
3	80	M.10	100	50	30	24	SAKPP 3 10*100	25
3	80	M.12	100	50	30	24	SAKPP 3 12*100	25
3	80	M.16	100	50	30	24	SAKPP 3 16*100	25
3	80	M.20	100	50	30	24	SAKPP 3 20*100	25
4	110	M.10	100	50	30	24	SAKPP 4 10*100	25
4	110	M.12	100	50	30	24	SAKPP 4 12*100	25
4	110	M.16	100	50	30	24	SAKPP 4 16*100	25
4	110	M.20	100	50	30	24	SAKPP 4 20*100	25
3	110	M.16	100	50	30	18	SAKMP 4 16*100	25
3	110	M.20	100	50	30	22	SAKMP 4 20*100	25

Stainless Steel Levelling Foot - Domed Metal Base

NO	D	e	H	CODE
40	M10	70	17	SAMTBP 40 10
40	M12	70	17	SAMTBP 40 12
60	M12	100	19	SAMTBP 60 12
60	M16	100	19	SAMTBP 60 16
80	M12	100	21	SAMTBP 80 12
80	M16	100	21	SAMTBP 80 16
80	M20	100	21	SAMTBP 80 20
100	M12	100	25	SAMTBP 100 12
100	M16	100	25	SAMTBP 100 16
100	M20	100	25	SAMTBP 100 20



Stainless Steel Swivel Foot - Domed Metal Base


NO	D	e	H	CODE
40	M8	70	19	TTBOP 60 8*70
40	M10	70	19	TTBOP 60 10*70
40	M12	70	19	TTBOP 60 12*70
60	M8	70	21	TTBOP 80 8*70
60	M10	70	21	TTBOP 80 10*70
60	M12	70	21	TTBOP 80 12*70
60	M16	100	21	TTBOP 80 16*100
80	M20	100	23	TTBOP 80 20*100
120	M16	100	23	TTBOP 120 16*100
120	M20	100	26	TTBOP 120 20*100
160	M16	100	26	TTBOP 160 16*100
160	M20	100	26	TTBOP 160 20*100



Stainless Steel Swivel Foot - Conical Metal Base


NO	D	e	H	CODE
40	M8	70	19	SAMTKOP 40 8*70
40	M10	70	19	SAMTKOP 40 10*70
40	M12	70	19	SAMTKOP 40 12*70
60	M8	70	21	SAMTKOP 60 8*70
60	M10	70	21	SAMTKOP 60 10*70
60	M12	70	21	SAMTKOP 60 12*70
60	M16	100	21	SAMTKOP 60 16*100
80	M16	100	23	SAMTKOP 80 16*100
80	M20	100	23	SAMTKOP 80 20*100
100	M16	100	26	SAMTKOP 100 16*100
100	M20	100	26	SAMTKOP 100 20*100






Stainless Steel Machine Foot - Domed

NO	D	e	H	CODE
60	M10	70	16	TTBP 60 10
60	M12	70	16	TTBP 60 12
60	M16	70	16	TTBP 60 16
80	M12	100	24	TTBP 80 12
80	M16	100	24	TTBP 80 16
80	M20	100	24	TTBP 80 20
120	M12	100	28	TTBP 120 12
120	M16	100	28	TTBP 120 16
120	M20	100	28	TTBP 120 20
160	M12	100	38	TTBP 160 12
160	M16	100	38	TTBP 160 16
160	M20	100	38	TTBP 160 20



Stainless Steel Machine Foot - Flat


NO	D	e	H	CODE
60	M10	70	16	TTDP 60 10
60	M12	70	16	TTDP 60 12
60	M16	70	16	TTDP 60 16
80	M12	100	24	TTDP 80 12
80	M16	100	24	TTDP 80 16
80	M20	100	24	TTDP 80 20
120	M12	100	28	TTDP 120 12
120	M16	100	28	TTDP 120 16
120	M20	100	28	TTDP 120 20
160	M12	100	38	TTDP 160 12
160	M16	100	38	TTDP 160 16
160	M20	100	38	TTDP 160 20



Plastic Clamping Lever, Stainless Steel Insert - Female

Glass-fibre-reinforced plastic.


NO	ØR	L	H	h2	d1	h4	d	e	CODE	QTY
1	43	51	38	33	13	23	M.5	19	SKPP 1 5 B	50
1	43	51	38	33	13	23	M.6	19	SKPP 1 6 B	50
2	65	75	48	41	15	26	M.8	21	SKPP 2 8 B	50
2	65	75	48	41	15	26	M.10	21	SKPP 2 10 B	50
3	85	98	63	50	18	34	M.8	25	SKPP 3 8 B	50
3	85	98	63	50	18	34	M.10	25	SKPP 3 10 B	50
3	85	98	63	50	18	34	M.12	25	SKPP 3 12 B	50



Plastic Clamping Lever, Stainless Steel Stud - Male

Glass-fibre-reinforced plastic.


NO	ØR	L	H	h2	d1	h4	d	e	CODE	QTY
1	43	51	38	33	13	23	M.5	25	SKPP 1 5*25	50
1	43	51	38	33	13	23	M.6	25	SKPP 1 6*25	50
2	65	75	48	41	15	26	M.8	30	SKPP 2 8*30	50
2	65	75	48	41	15	26	M.10	30	SKPP 2 10*30	50
3	85	98	63	50	18	34	M.8	40	SKPP 3 8*40	50
3	85	98	63	50	18	34	M.10	40	SKPP 3 10*40	50
3	85	98	63	50	18	34	M.12	40	SKPP 3 12*40	50



Orange Plastic Clamping Lever, Stainless Insert - Female

Glass-fibre-reinforced plastic.

NO	ØR	L	H	h2	d1	h4	d	e	CODE	QTY
1	43	51	38	33	13	23	M.5	19	TSPP 15 B	50
1	43	51	38	33	13	23	M.6	19	TSPP 16 B	50
2	65	75	48	41	15	26	M.8	21	TSPP 2 8 B	50
2	65	75	48	41	15	26	M.10	21	TSPP 2 10 B	50
3	85	98	63	50	18	34	M.8	25	TSPP 3 8 B	50
3	85	98	63	50	18	34	M.10	25	TSPP 3 10 B	50
3	85	98	63	50	18	34	M.12	25	TSPP 3 12 B	50




Orange Plastic Clamping Lever, Stainless Stud - Male

Glass-fibre-reinforced plastic.

NO	ØR	L	H	h2	d1	h4	d	e	CODE	QTY
1	43	51	38	33	13	23	M.5	25	TSPP 15*25	50
1	43	51	38	33	13	23	M.6	25	TSPP 16*25	50
2	65	75	48	41	15	26	M.8	30	TSPP 2 8*30	50
2	65	75	48	41	15	26	M.10	30	TSPP 2 10*30	50
3	85	98	63	50	18	34	M.8	40	TSPP 3 8*40	50
3	85	98	63	50	18	34	M.10	40	TSPP 3 10*40	50
3	85	98	63	50	18	34	M.12	40	TSPP 3 12*40	50


Type A Rubber Mount with Washers

ØD	H	G	L	CODE	QTY
15	10	M.4	8	KT1510Ç4P	50
15	15	M.4	8	KT1515Ç4P	50
20	8	M.6	13	KT2008Ç6P	50
20	10	M.6	13	KT2010Ç6P	50
20	15	M.6	13	KT2015Ç6P	50
20	20	M.6	13	KT2020Ç6P	50
20	25	M.6	13	KT2025Ç6P	50
20	30	M.6	13	KT2030Ç6P	50
25	15	M.6	13	KT2515Ç6P	50
25	20	M.6	13	KT2520Ç6P	50
25	25	M.6	13	KT2525Ç6P	50
25	30	M.6	13	KT2530Ç6P	50
30	15	M.8	18	KT3015Ç8P	50
30	20	M.8	18	KT3020Ç8P	50
30	25	M.8	18	KT3025Ç8P	50
30	30	M.8	18	KT3030Ç8P	50
40	20	M.8	18	KT4020Ç8P	50
40	25	M.8	18	KT4025Ç8P	50
40	30	M.8	18	KT4030Ç8P	50
40	35	M.8	18	KT4035Ç8P	50
40	40	M.8	18	KT4040Ç8P	50
50	20	M.10	28	KT5020Ç10P	50
50	25	M.10	28	KT5025Ç10P	50
50	30	M.10	28	KT5030Ç10P	50
50	35	M.10	28	KT5035Ç10P	50
50	40	M.10	28	KT5040Ç10P	50
50	45	M.10	28	KT5045Ç10P	50
50	50	M.10	28	KT5050Ç10P	50
55	35	M.10	28	KT5535Ç10P	25
60	20	M.12	38	KT6020Ç12P	25
60	25	M.12	38	KT6025Ç12P	25
60	30	M.12	38	KT6030Ç12P	25
60	35	M.12	38	KT6035Ç12P	25
60	40	M.12	38	KT6040Ç12P	25
60	50	M.12	38	KT6050Ç12P	25
60	60	M.12	38	KT6060Ç12P	25
70	20	M.12	38	KT7020Ç12P	25
70	25	M.12	38	KT7025Ç12P	25
70	30	M.12	38	KT7030Ç12P	25
70	35	M.12	38	KT7035Ç12P	25
70	40	M.12	38	KT7040Ç12P	25
70	50	M.12	38	KT7050Ç12P	25
70	55	M.12	38	KT7055Ç12P	25
75	25	M.12	38	KT7525Ç12P	25
75	30	M.12	38	KT7530Ç12P	25
75	35	M.12	38	KT7535Ç12P	25
75	40	M.12	38	KT7540Ç12P	25
75	50	M.12	38	KT7550Ç12P	25
75	55	M.12	38	KT7555Ç12P	25



ØD	H	G	L	CODE	QTY
75	60	M.12	38	KT7560Ç12P	25
80	30	M.12	38	KT8030Ç12P	25
80	40	M.12	38	KT8040Ç12P	25
80	50	M.12	38	KT8050Ç12P	25
80	60	M.12	38	KT8060Ç12P	25
100	30	M.16	47	KT10030Ç16P	25
100	35	M.16	47	KT10035Ç16P	25
100	40	M.16	47	KT10040Ç16P	25
100	45	M.16	47	KT10045Ç16P	25
100	50	M.16	47	KT10050Ç16P	25
100	55	M.16	47	KT10055Ç16P	25
100	60	M.16	47	KT10060Ç16P	25
100	75	M.16	47	KT10075Ç16P	25
100	80	M.16	47	KT10080Ç16P	25
130	35	M.16	47	KT13035Ç16P	25
130	50	M.16	47	KT13050Ç16P	25
150	35	M.16	47	KT15035Ç16P	25
150	50	M.16	47	KT15050Ç16P	25
200	100	M.20	47	K200100Ç20P	25

Type B Rubber Mount with Washers




ØD	H	G	L	CODE	QTY
80	60	M.12	38	KT8060Ç12CSP	25
100	30	M.16	47	KT10030Ç16CSP	25
100	35	M.16	47	KT10035Ç16CSP	25
100	40	M.16	47	KT10040Ç16CSP	25
100	45	M.16	47	KT10045Ç16CSP	25
100	50	M.16	47	KT10050Ç16CSP	25
100	55	M.16	47	KT10055Ç16CSP	25
100	60	M.16	47	KT10060Ç16CSP	25
100	75	M.16	47	KT10075Ç16CSP	25
100	80	M.16	47	KT10080Ç16CSP	25
130	35	M.16	47	KT13035Ç16CSP	25
130	50	M.16	47	KT13050Ç16CSP	25
150	35	M.16	47	KT15035Ç16CSP	25
150	50	M.16	47	KT15050Ç16CSP	25
200	100	M.20	47	K200100Ç20CSP	25

ØD	H	G	L	CODE	QTY
15	10	M.4	8	KT1510Ç4CSP	50
15	15	M.4	8	KT1515Ç4CSP	50
20	8	M.6	13	KT2008Ç6CSP	50
20	10	M.6	13	KT2010Ç6CSP	50
20	15	M.6	13	KT2015Ç6CSP	50
20	20	M.6	13	KT2020Ç6CSP	50
20	25	M.6	13	KT2025Ç6CSP	50
20	30	M.6	13	KT2030Ç6CSP	50
25	15	M.6	13	KT2515Ç6CSP	50
25	20	M.6	13	KT2520Ç6CSP	50
25	25	M.6	13	KT2525Ç6CSP	50
25	30	M.6	13	KT2530Ç6CSP	50
30	15	M.8	18	KT3015Ç8CSP	50
30	20	M.8	18	KT3020Ç8CSP	50
30	25	M.8	18	KT3025Ç8CSP	50
30	30	M.8	18	KT3030Ç8CSP	50
40	20	M.8	18	KT4020Ç8CSP	50
40	25	M.8	18	KT4025Ç8CSP	50
40	30	M.8	18	KT4030Ç8CSP	50
40	35	M.8	18	KT4035Ç8CSP	50
40	40	M.8	18	KT4040Ç8CSP	50
50	20	M.10	28	KT5020Ç10CSP	50
50	25	M.10	28	KT5025Ç10CSP	50
50	30	M.10	28	KT5030Ç10CSP	50
50	35	M.10	28	KT5035Ç10CSP	50
50	40	M.10	28	KT5040Ç10CSP	50
50	45	M.10	28	KT5045Ç10CSP	50
50	50	M.10	28	KT5050Ç10CSP	50
55	35	M.10	28	KT5535Ç10CSP	25
60	20	M.12	38	KT6020Ç12CSP	25
60	25	M.12	38	KT6025Ç12CSP	25
60	30	M.12	38	KT6030Ç12CSP	25
60	35	M.12	38	KT6035Ç12CSP	25
60	40	M.12	38	KT6040Ç12CSP	25
60	50	M.12	38	KT6050Ç12CSP	25
60	60	M.12	38	KT6060Ç12CSP	25
70	20	M.12	38	KT7020Ç12CSP	25
70	25	M.12	38	KT7025Ç12CSP	25
70	30	M.12	38	KT7030Ç12CSP	25
70	35	M.12	38	KT7035Ç12CSP	25
70	40	M.12	38	KT7040Ç12CSP	25
70	50	M.12	38	KT7050Ç12CSP	25
70	55	M.12	38	KT7055Ç12CSP	25
75	25	M.12	38	KT7525Ç12CSP	25
75	30	M.12	38	KT7530Ç12CSP	25
75	35	M.12	38	KT7535Ç12CSP	25
75	40	M.12	38	KT7540Ç12CSP	25
75	50	M.12	38	KT7550Ç12CSP	25
75	55	M.12	38	KT7555Ç12CSP	25
75	60	M.12	38	KT7560Ç12CSP	25
80	30	M.12	38	KT8030Ç12CSP	25
80	40	M.12	38	KT8040Ç12CSP	25
80	50	M.12	38	KT8050Ç12CSP	25


Type C Rubber Mount with Washers

ØD	H	G	L	CODE	QTY
15	10	M4	8	KT1510C4SP	50
15	15	M4	8	KT1515C4SP	50
20	8	M6	13	KT2008C6SP	50
20	10	M6	13	KT2010C6SP	50
20	15	M6	13	KT2015C6SP	50
20	20	M6	13	KT2020C6SP	50
20	25	M6	13	KT2025C6SP	50
20	30	M6	13	KT2030C6SP	50
25	15	M6	13	KT2515C6SP	50
25	20	M6	13	KT2520C6SP	50
25	25	M6	13	KT2525C6SP	50
25	30	M6	13	KT2530C6SP	50
30	15	M8	18	KT3015C8SP	50
30	20	M8	18	KT3020C8SP	50
30	25	M8	18	KT3025C8SP	50
30	30	M8	18	KT3030C8SP	50
40	20	M8	18	KT4020C8SP	50
40	25	M8	18	KT4025C8SP	50
40	30	M8	18	KT4030C8SP	50
40	35	M8	18	KT4035C8SP	50
40	40	M8	18	KT4040C8SP	50
50	20	M10	28	KT5020C10SP	50
50	25	M10	28	KT5025C10SP	50
50	30	M10	28	KT5030C10SP	50
50	35	M10	28	KT5035C10SP	50
50	40	M10	28	KT5040C10SP	50
50	45	M10	28	KT5045C10SP	50
50	50	M10	28	KT5050C10SP	50
55	35	M10	28	KT5535C10SP	25
60	20	M12	38	KT6020C12SP	25
60	25	M12	38	KT6025C12SP	25
60	30	M12	38	KT6030C12SP	25
60	35	M12	38	KT6035C12SP	25
60	40	M12	38	KT6040C12SP	25
60	50	M12	38	KT6050C12SP	25
60	60	M12	38	KT6060C12SP	25
70	20	M12	38	KT7020C12SP	25
70	25	M12	38	KT7025C12SP	25
70	30	M12	38	KT7030C12SP	25
70	35	M12	38	KT7035C12SP	25
70	40	M12	38	KT7040C12SP	25
70	50	M12	38	KT7050C12SP	25
70	55	M12	38	KT7055C12SP	25
75	25	M12	38	KT7525C12SP	25
75	30	M12	38	KT7530C12SP	25
75	35	M12	38	KT7535C12SP	25
75	40	M12	38	KT7540C12SP	25
75	50	M12	38	KT7550C12SP	25
75	55	M12	38	KT7555C12SP	25
75	60	M12	38	KT7560C12SP	25
80	30	M12	38	KT8030C12SP	25
80	40	M12	38	KT8040C12SP	25
80	50	M12	38	KT8050C12SP	25



ØD	H	G	L	CODE	QTY
80	60	M12	38	KT8060C12SP	25
100	30	M12	47	KT10030C12SP	25
100	35	M16	47	KT10035C16SP	25
100	40	M16	47	KT10040C16SP	25
100	45	M16	47	KT10045C16SP	25
100	50	M16	47	KT10050C16SP	25
100	55	M16	47	KT10055C16SP	25
100	60	M16	47	KT10060C16SP	25
100	75	M16	47	KT10075C16SP	25
100	80	M16	47	KT10080C16SP	25
130	35	M16	47	KT13035C16SP	25
130	50	M16	47	KT13050C16SP	25
150	35	M16	47	KT15035C16SP	25
150	50	M16	47	KT15050C16SP	25
200	100	M20	47	K200100C20SP	25

Type D Rubber Mount with Washers




ØD	H	G	L	CODE	QTY
80	80	M12	38	KT8060T12P	25
100	30	M16	47	KT10030T16P	25
100	35	M16	47	KT10035T16P	25
100	40	M16	47	KT10040T16P	25
100	45	M16	47	KT10045T16P	25
100	50	M16	47	KT10050T16P	25
100	55	M16	47	KT10055T16P	25
100	60	M16	47	KT10060T16P	25
100	75	M16	47	KT10075T16P	25
100	80	M16	47	KT10080T16P	25
130	35	M16	47	KT13035T16P	25
130	50	M16	47	KT13050T16P	25
150	35	M16	47	KT15035T16P	25
150	50	M16	47	KT15050T16P	25
200	100	M20	47	K200100T20P	25

ØD	H	G	L	CODE	QTY
15	10	M4	8	KT1510T4P	50
15	15	M4	8	KT1515T4P	50
20	8	M6	13	KT208T6P	50
20	10	M6	13	KT2010T6P	50
20	15	M6	13	KT2015T6P	50
20	20	M6	13	KT2020T6P	50
20	25	M6	13	KT2025T6P	50
20	30	M6	13	KT2030T6P	50
25	15	M6	13	KT2515T6P	50
25	20	M6	13	KT2520T6P	50
25	25	M6	13	KT2525T6P	50
25	30	M6	13	KT2530T6P	50
30	15	M8	18	KT3015T8P	50
30	20	M8	18	KT3020T8P	50
30	25	M8	18	KT3025T8P	50
30	30	M8	18	KT3030T8P	50
40	20	M8	18	KT4020T8P	50
40	25	M8	18	KT4025T8P	50
40	30	M8	18	KT4030T8P	50
40	35	M8	18	KT4035T8P	50
40	40	M8	18	KT4040T8P	50
50	20	M10	28	KT5020T10P	50
50	25	M10	28	KT5025T10P	50
50	30	M10	28	KT5030T10P	50
50	35	M10	28	KT5035T10P	50
50	40	M10	28	KT5040T10P	50
50	45	M10	28	KT5045T10P	50
50	50	M10	28	KT5050T10P	50
55	35	M10	28	KT5535T10P	25
60	20	M12	38	KT6020T12P	25
60	25	M12	38	KT6025T12P	25
60	30	M12	38	KT6030T12P	25
60	35	M12	38	KT6035T12P	25
60	40	M12	38	KT6040T12P	25
60	50	M12	38	KT6050T12P	25
60	60	M12	38	KT6060T12P	25
70	20	M12	38	KT7020T12P	25
70	25	M12	38	KT7025T12P	25
70	30	M12	38	KT7030T12P	25
70	35	M12	38	KT7035T12P	25
70	40	M12	38	KT7040T12P	25
70	50	M12	38	KT7050T12P	25
70	55	M12	38	KT7055T12P	25
75	25	M12	38	KT7525T12P	25
75	30	M12	38	KT7530T12P	25
75	35	M12	38	KT7535T12P	25
75	40	M12	38	KT7540T12P	25
75	50	M12	38	KT7550T12P	25
75	55	M12	38	KT7555T12P	25
75	60	M12	38	KT7560T12P	25
80	30	M12	38	KT8030T12P	25
80	40	M12	38	KT8040T12P	25
80	50	M12	38	KT8050T12P	25

Type E Rubber Mount with Washers

ØD	H	G	L	CODE	CAPACITY
15	10	M.4	8	KT1510T4SP	50
15	15	M.4	8	KT1515T4SP	50
20	8	M.6	13	KT208T6SP	50
20	10	M.6	13	KT2010T6SP	50
20	15	M.6	13	KT2015T6SP	50
20	20	M.6	13	KT2020T6SP	50
20	25	M.6	13	KT2025T6SP	50
20	30	M.6	13	KT2030T6SP	50
25	15	M.6	13	KT2515T6SP	50
25	20	M.6	13	KT2520T6SP	50
25	25	M.6	13	KT2525T6SP	50
25	30	M.6	13	KT2530T6SP	50
30	15	M.8	18	KT3015T8SP	50
30	20	M.8	18	KT3020T8SP	50
30	25	M.8	18	KT3025T8SP	50
30	30	M.8	18	KT3030T8SP	50
40	20	M.8	18	KT4020T8SP	50
40	25	M.8	18	KT4025T8SP	50
40	30	M.8	18	KT4030T8SP	50
40	35	M.8	18	KT4035T8SP	50
40	40	M.8	18	KT4040T8SP	50
50	20	M.10	28	KT5020T10SP	50
50	25	M.10	28	KT5025T10SP	50
50	30	M.10	28	KT5030T10SP	50
50	35	M.10	28	KT5035T10SP	50
50	40	M.10	28	KT5040T10SP	50
50	45	M.10	28	KT5045T10SP	50
50	50	M.10	28	KT5050T10SP	50
55	35	M.10	28	KT5535T10SP	25
60	20	M.12	38	KT6020T12SP	25
60	25	M.12	38	KT6025T12SP	25
60	30	M.12	38	KT6030T12SP	25
60	35	M.12	38	KT6035T12SP	25
60	40	M.12	38	KT6040T12SP	25
60	50	M.12	38	KT6050T12SP	25
60	60	M.12	38	KT6060T12SP	25
70	20	M.12	38	KT7020T12SP	25
70	25	M.12	38	KT7025T12SP	25
70	30	M.12	38	KT7030T12SP	25
70	35	M.12	38	KT7035T12SP	25
70	40	M.12	38	KT7040T12SP	25
70	50	M.12	38	KT7050T12SP	25
70	55	M.12	38	KT7055T12SP	25
75	25	M.12	38	KT7525T12SP	25
75	30	M.12	38	KT7530T12SP	25
75	35	M.12	38	KT7535T12SP	25
75	40	M.12	38	KT7540T12SP	25
75	50	M.12	38	KT7550T12SP	25
75	55	M.12	38	KT7555T12SP	25
75	60	M.12	38	KT7560T12SP	25
80	30	M.12	38	KT8030T12SP	25
80	40	M.12	38	KT8040T12SP	25
80	50	M.12	38	KT8050T12SP	25



ØD	H	G	L	CODE	QTY
80	60	M.12	38	KT8060T12SP	25
100	30	M.16	47	KT10030T16SP	25
100	35	M.16	47	KT10035T16SP	25
100	40	M.16	47	KT10040T16SP	25
100	45	M.16	47	KT10045T16SP	25
100	50	M.16	47	KT10050T16SP	25
100	55	M.16	47	KT10055T16SP	25
100	60	M.16	47	KT10060T16SP	25
100	75	M.16	47	KT10075T16SP	25
100	80	M.16	47	KT10080T16SP	25
130	35	M.16	47	KT13035T16SP	25
130	50	M.16	47	KT13050T16SP	25
150	35	M.16	47	KT15035T16SP	25
150	50	M.16	47	KT15050T16SP	25
200	100	M.20	47	K200100T20SP	25


Type A Rubber Mount without Washers


ØD	H	G	L	CODE	PACK
15	8	M.4	8	KT158Ç4	50
15	10	M.4	8	KT1510Ç4	50
15	15	M.4	13	KT1513Ç4	50
15	30	M.4	13	KT1530Ç4	50
20	8	M.6	13	KT208Ç6	50
20	10	M.6	13	KT2010Ç6	50
20	15	M.6	13	KT2015Ç6	50
20	20	M.6	13	KT2020Ç6	50
20	25	M.6	13	KT2025Ç6	50
20	30	M.6	13	KT2030Ç6	50
25	15	M.6	13	KT2515Ç6	50
25	20	M.6	13	KT2520Ç6	50
25	30	M.6	18	KT2530Ç6	50
30	15	M.8	18	KT3015Ç8	50
30	20	M.8	18	KT3020Ç8	50
30	25	M.8	18	KT3025Ç8	50
30	30	M.8	18	KT3030Ç8	50
40	20	M.8	18	KT4020Ç8	50
40	30	M.8	18	KT4030Ç8	50
40	40	M.8	18	KT4040Ç8	50
50	20	M.10	28	KT5020Ç10	50
50	25	M.10	28	KT5025Ç10	50
50	30	M.10	28	KT5030Ç10	50
50	35	M.10	28	KT5035Ç10	50
50	40	M.10	28	KT5040Ç10	50
50	45	M.10	28	KT5045Ç10	50
50	50	M.10	28	KT5050Ç10	50
55	35	M.10	28	KT5535Ç10	50
60	30	M.12	28	KT6030Ç12	25
60	40	M.12	38	KT6040Ç12	25
60	50	M.12	38	KT6050Ç12	25
60	60	M.12	38	KT6060Ç12	25
70	20	M.12	38	KT7020Ç12	25
70	35	M.12	38	KT7035Ç12	25
70	40	M.12	38	KT7040Ç12	25
70	50	M.12	38	KT7050Ç12	25
75	25	M.12	38	KT7525Ç12	25
75	35	M.12	38	KT7535Ç12	25
75	40	M.12	38	KT7540Ç12	25
75	50	M.12	38	KT7550Ç12	25
75	55	M.12	38	KT7555Ç12	25
80	30	M.12	38	KT8030Ç12	25
80	40	M.12	38	KT8040Ç12	25
80	50	M.12	38	KT8050Ç12	25
80	60	M.12	38	KT8060Ç12	25
100	30	M.16	47	KT10030Ç16	25
100	35	M.16	47	KT10035Ç16	25
100	40	M.16	47	KT10040Ç16	25
100	50	M.16	47	KT10050Ç16	25
100	55	M.16	47	KT10055Ç16	25
100	60	M.16	47	KT10060Ç16	25
100	75	M.16	47	KT10075Ç16	25
100	80	M.16	47	KT10080Ç16	25



Type D Rubber Mount without Washers


ØD	H	G	L	CODE	PACK
15	8	M4	8	KT158T4	50
15	10	M4	8	KT1510T4	50
15	15	M4	13	KT1513T4	50
15	30	M4	13	KT1530T4	50
20	8	M6	13	KT208T6	50
20	10	M6	13	KT2010T6	50
20	15	M6	13	KT2015T6	50
20	20	M6	13	KT2020T6	50
20	25	M6	13	KT2025T6	50
20	30	M6	13	KT2030T6	50
25	15	M6	13	KT2515T6	50
25	20	M6	13	KT2520T6	50
25	25	M6	18	KT2525T6	50
25	30	M6	18	KT2530T6	50
30	15	M8	18	KT3015T8	50
30	20	M8	18	KT3020T8	50
30	25	M8	18	KT3025T8	50
30	30	M8	18	KT3030T8	50
40	20	M8	18	KT4020T8	50
40	30	M8	18	KT4030T8	50
40	40	M8	18	KT4040T8	50
50	20	M10	28	KT5020T10	50
50	25	M10	28	KT5025T10	50
50	30	M10	28	KT5030T10	50
50	35	M10	28	KT5035T10	50
50	40	M10	28	KT5040T10	50
50	45	M10	28	KT5045T10	50
50	50	M10	28	KT5050T10	50
55	35	M12	28	KT5535T10	25
60	30	M12	38	KT6030T12	25
60	40	M12	38	KT6040T12	25
70	20	M12	38	KT7020T12	25
70	35	M12	38	KT7035T12	25
70	40	M12	38	KT7040T12	25
70	50	M12	38	KT7050T12	25
75	25	M12	38	KT7525T12	25
75	40	M12	38	KT7540T12	25
75	50	M12	38	KT7550T12	25
75	55	M12	38	KT7555T12	25
80	30	M12	38	KT8030T12	25
80	40	M12	38	KT8040T12	25
80	50	M12	38	KT8050T12	25
80	60	M12	38	KT8060T12	25
100	30	M16	47	KT10030T16	25
100	35	M16	47	KT10035T16	25
100	40	M16	47	KT10040T16	25
100	50	M16	47	KT10050T16	25
100	55	M16	47	KT10055T16	25
100	60	M16	47	KT10060T16	25
100	75	M16	47	KT10075T16	25
100	80	M16	47	KT10080T16	25





Spool-Shaped Rubber Mount

NO	D	e	H	CODE
40	30	M.8	20	KMT 40*30
80	60	M.12	30	KMT 80*60



Spool-Shaped Rubber Mount

NO	D	e	H	CODE
70	40	M.10	27	KKT 70 10
70	40	M.12	27	KKT 70 12
110	50	M.10	27	KKT 110 10
110	50	M.12	27	KKT 110 12
110	50	M.16	27	KKT 110 16
145	60	M.10	27	KKT 145 10
145	60	M.12	27	KKT 145 12
145	60	M.16	27	KKT 145 16

Square Rubber Mount

NO	D	e	CODE
100	100	20	KP10010020
100	100	50	KP10010050
100	150	50	KP10015050
120	120	20	KP12012020
150	150	10	KP15015010
150	150	20	KP15015020
200	100	20	KP20010020
200	200	10	KP20020010
200	200	20	KP20020020
300	100	20	KP30010020
300	200	30	KP30020030
300	300	20	KP30030020
300	300	30	KP30030030
400	200	20	KP40020020
400	400	20	KP40040020
400	400	40	KP40040040



Square Tube Insert

SIZE
15*15
20*20
25*25
30*30
40*40
50*50
60*60



Rectangular Tube Insert

SIZE
15,25
20*30
20*40
25*40
30*40
30*50
40*60
40*80



Square Tube End Cap

SIZE
20*20
25*25
30*30
40*40
50*50



Rectangular Tube End Cap

SIZE
20*30
20*40



Round Tube Insert

SIZE
13
16
17
19
21
22
25
28
32
38
42
48
51
60
76



Round Tube End Cap

SIZE
4
8
10
13
16
19
21
22
25
32



Square Finned Tube Insert


SIZE
30*30
40*40





Hood Latch

CODE		
56	18	HM 72
90	23,5	HM 7



Hood Latch


CODE
HM 40



Hood Latch

CODE
HM 40-01

Leaf Hinges




CODE | SIZE

HM321 40*40



CODE | SIZE

HM321-1 40*40




CODE | SIZE

HM317 40*40



CODE | SIZE

HM317-1 40*40




CODE | SIZE

HM322 50*50



CODE | SIZE

HM322-1 50*50



CODE | SIZE

HM318 50*50




CODE | SIZE

HM318-1 50*50



CODE | SIZE

HM329-2-2 60*60




CODE | SIZE

HM329-2 60*60




CODE | SIZE

HM329-1 60*60




CODE | SIZE

HM329 60*60



CODE | SIZE

HM323 50*63




CODE | SIZE

HM319 50*63




CODE | SIZE

HM324-1 50*76



CODE | SIZE

HM324 50*76



CODE | SIZE

HM320 50*76




Hinge with Stainless Steel Pin / Grade 304

NO	R*H	d1	CODE	QTY
1	50*50	Q5	MTS 1	50
2	75*65	Q6	MTS 2	50
3	100*80	Q8	MTS 3	25




Hinge with Stainless Steel Pin / Grade 304

NO	R*H	d1	CODE	QTY
1	50*50	Q5	MTST 1	50
2	75*65	Q6	MTST 2	50
3	100*80	Q8	MTST 3	25



Plastic Leaf Hinge

CODE	SIZE
HM327	30*30
HM325	40*40
HM326	50*50




Plastic Leaf Hinge with Studs

CODE	SIZE
HM325-1	40*40
HM326-1	50*50

Functional Latch / Automatic

CODE

HM 021



Functional Latch

CODE

HM 030-M1



Functional Latch

CODE

HM 030-M1



Automatic Panel Latch

CODE

HM 212





Triangular Key

CODE

HM 203-1-1



Double-Bit Key

CODE


HM 203-1



Square Key

CODE

HM 203-1-2



Small Double-Bit Key

CODE

HM 203-2



Small Triangular Key

CODE

HM 203-2-1



Small Square Key

CODE

HM 203-2-2



Mini Spring-Loaded Panel Locks



Mini Spring-Loaded Panel Lock

CODE

HM236



Mini Spring-Loaded Panel Lock
Powder-Coated

CODE

HM236-1



Mini Spring-Loaded Panel Lock
Plastic Wing Knob

CODE

HM205



Mini Spring-Loaded Panel Lock
Double-Bit

CODE

HM237



Mini Spring-Loaded Panel Lock
Double-Bit, Powder-Coated

CODE

HM237-1



Mini Spring-Loaded Panel Lock
Plastic Double-Bit

CODE

HM241



Mini Spring-Loaded Panel Lock
Triangular

CODE

HM238



Mini Spring-Loaded Panel Lock
Triangular, Powder-Coated

CODE

HM238-1



Mini Spring-Loaded Panel Lock
Plastic Triangular

CODE

HM238-2

Spring-Loaded Panel Locks



Spring-Loaded Panel Lock

CODE

HM204



Spring-Loaded Panel Lock
Powder-Coated Metal Wing Knob

CODE

HM204SB



Spring-Loaded Panel Lock
Plastic Wing Knob

CODE

HM256



Spring-Loaded Panel Lock
Double-Bit

CODE

HM201



Spring-Loaded Panel Lock
Double-Bit, Powder-Coated

CODE

HM201SB



Spring-Loaded Panel Lock
Plastic Double-Bit

CODE

HM201PG



Spring-Loaded Panel Lock
Triangular

CODE


HM201A



Spring-Loaded Panel Lock
Triangular, Powder-Coated

CODE

HM201A-1



Plastic Spring-Loaded Panel Lock
Triangular Insert

CODE

HM201PU

Spring-Loaded Panel Locks



**Cylinder Spring-Loaded Panel Lock
Wing Knob**

CODE

HM232



**Cylinder Spring-Loaded Panel Lock
Wing Knob**

CODE

HM232-1



**Sliding Latch
1.2 mm**

CODE

HM230



**Ball-Detent Panel Lock
Wing Key**

CODE

HM245



**Cylinder Spring-Loaded Panel Lock
Plastic Body**

CODE

HM243



**Cylinder Spring-Loaded Panel Lock
Square Plastic Body**

CODE

HM244



Cylinder Spring-Loaded Panel Lock

CODE

HM242

Spring-Loaded Panel Locks



**Spring-Loaded Panel Lock
30 mm**

CODE

HM233-30



**Spring-Loaded Panel Lock
35 mm**

CODE

HM233-35



**Spring-Loaded Panel Lock
40 mm**

CODE

HM233-40



**Spring-Loaded Panel Lock
50 mm**

CODE

HM233-50



**Spring-Loaded Panel Lock
60 mm**

CODE

HM233-60



**Spring-Loaded Panel Lock
Plastic Wing Knob**

CODE

HM256-1



**Spring-Loaded Panel Lock
Metal Wing Knob**

CODE

HM255



**Spring-Loaded Panel Lock
Metal Wing Knob**

CODE

HM255-1




**Spring-Loaded Panel Lock
ISP**

CODE

HM202

Spring-Loaded Panel Locks



**Mini Spring-Loaded Panel Lock
Screwdriver Operated**

CODE

HM240



**Mini Spring-Loaded Panel Lock
Screwdriver Operated, Powder-Coated**

CODE

HM240-1



**Spring-Loaded Panel Lock
Square**

CODE

HM231



**Spring-Loaded Panel Lock
Square**

CODE

HM231-2



**Spring-Loaded Panel Lock
Square, RAL 7032**

CODE

HM231-1



**Spring-Loaded Panel Lock
Square, RAL 7032**

CODE

HM231-3

Steel Cabinet and Drawer Locks



**Cam Lock
Padlockable**

CODE

HM103



**Cam Lock - Offset Cam
Padlockable**

CODE

HM103-E



**Cam Lock - Offset Cam
Espagnolette**

CODE

HM112



**Cam Lock
Screwdriver Operated**

CODE

HM113



**Ball-Detent Panel Lock
Triangular**

CODE

HM116



T-Handle Steel Cabinet Lock

CODE

HM105



**Cam Lock
Keyed, Clip-Retained**

CODE

HM101



**Cam Lock - Offset Cam
Clip-Retained**

CODE

HM104




**Cam Lock
Keyed, Clip-Retained**

CODE

HM101-2

Steel Cabinet and Drawer Locks



Pedestal Drawer Lock

CODE

HM126



Lock Strike Plate

CODE

HM111

Panel Sizing Roller



CODE

Edge Banding Wheel



CODE

Roller Support



KOD | FİYAT

Your Power Transmission Systems IN SAFE HANDS WITH US



Alaaddinbey Mh. 631.Sk.
ZER 4 Plaza No:2 A/D
Nilüfer / BURSA
Tel: (0.224) 503 49 59

 www.protekrulman.com

 info@protekrulman.com

 [protekrulman](https://www.instagram.com/protekrulman)